

RefTeX User Manual

Support for LaTeX labels, references, citations and index entries with GNU Emacs
Edition 4.16, June 2001

by Carsten Dominik

Copyright © 1997, 1998, 1999, 2000, 2001 Free Software Foundation, Inc.

This is edition 4.16 of the *RefTeX User Manual* for **RefTeX** version 4.16, June 2001.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; with no Invariant Sections, with the Front-Cover texts being “A GNU Manual”, and with the Back-Cover Texts as in (a) below. A copy of the license is included in the section entitled “GNU Free Documentation License” in the Emacs manual.

(a) The FSF’s Back-Cover Text is: “You have freedom to copy and modify this GNU Manual, like GNU software. Copies published by the Free Software Foundation raise funds for GNU development.”

This document is part of a collection distributed under the GNU Free Documentation License. If you want to distribute this document separately from the collection, you can do so by adding a copy of the license to the document, as described in section 6 of the license.

1 Introduction

RefTeX is a specialized package for support of labels, references, citations, and the index in LaTeX. **RefTeX** wraps itself round 4 LaTeX macros: `\label`, `\ref`, `\cite`, and `\index`. Using these macros usually requires looking up different parts of the document and searching through BibTeX database files. **RefTeX** automates these time-consuming tasks almost entirely. It also provides functions to display the structure of a document and to move around in this structure quickly.

Don't be discouraged by the size of this manual, which covers **RefTeX** in great depth. All you need to know to use **RefTeX** can be summarized on two pages (see Section 1.4 [RefTeX in a Nutshell], page 2). You can go back later to other parts of this document when needed.

See Section 7.10 [Imprint], page 40, for information about who to contact for help, bug reports or suggestions.

1.1 Installation

RefTeX is bundled and pre-installed with Emacs since version 20.2. It was also bundled and pre-installed with XEmacs 19.16–20.x. XEmacs 21.x users want to install the corresponding plug-in package which is available from the XEmacs ftp site (<ftp://ftp.xemacs.org/pub/xemacs/packages/>). See the XEmacs 21.x documentation on package installation for details.

Users of earlier Emacs distributions (including Emacs 19) can get a copy of the **RefTeX** distribution from the maintainers web-page. See Section 7.10 [Imprint], page 40, for more information.

1.2 Environment

RefTeX needs to access all files which are part of a multifile document, and the BibTeX database files requested by the `\bibliography` command. To find these files, **RefTeX** will require a search path, i.e. a list of directories to check. Normally this list is stored in the environment variables `TEXINPUTS` and `BIBINPUTS` which are also used by **RefTeX**. However, on some systems these variables do not contain the full search path. If **RefTeX** does not work for you because it cannot find some files, read Section 7.6 [Finding Files], page 32.

1.3 Entering RefTeX Mode

To turn **RefTeX** Mode on and off in a particular buffer, use `M-x refTeX-mode`. To turn on **RefTeX** Mode for all LaTeX files, add the following lines to your `‘.emacs’` file:

```
(add-hook 'LaTeX-mode-hook 'turn-on-refTeX) ; with AUCTeX LaTeX mode
(add-hook 'latex-mode-hook 'turn-on-refTeX) ; with Emacs latex mode
```

1.4 RefTeX in a Nutshell

1. Table of Contents

Typing `C-c = (reftex-toc)` will show a table of contents of the document. This buffer can display sections, labels and index entries defined in the document. From the buffer, you can jump quickly to every part of your document. Press `?` to get help.

2. Labels and References

RefTeX helps to create unique labels and to find the correct key for references quickly. It distinguishes labels for different environments, knows about all standard environments (and many others), and can be configured to recognize any additional labeled environments you have defined yourself (variable `reftex-label-alist`).

- **Creating Labels**

Type `C-c ((reftex-label)` to insert a label at point. **RefTeX** will either

- derive a label from context (default for section labels)
- prompt for a label string (default for figures and tables) or
- insert a simple label made of a prefix and a number (all other environments)

Which labels are created how is configurable with the variable `reftex-insert-label-flags`.

- **Referencing Labels**

To make a reference, type `C-c) (reftex-reference)`. This shows an outline of the document with all labels of a certain type (figure, equation,...) and some label context. Selecting a label inserts a `\ref{label}` macro into the original buffer.

3. Citations

Typing `C-c [(reftex-citation)` will let you specify a regular expression to search in current BibTeX database files (as specified in the `\bibliography` command) and pull out a list of matches for you to choose from. The list is *formatted* and sorted. The selected article is referenced as `\cite{key}` (see the variable `reftex-cite-format` if you want to insert different macros).

4. Index Support

RefTeX helps to enter index entries. It also compiles all entries into an alphabetically sorted `*Index*` buffer which you can use to check and edit the entries. **RefTeX** knows about the standard index macros and can be configured to recognize any additional macros you have defined (`reftex-index-macros`). Multiple indices are supported.

- **Creating Index Entries**

To index the current selection or the word at point, type `C-c / (reftex-index-selection-or-word)`. The default macro `reftex-index-default-macro` will be used. For a more complex entry type `C-c < (reftex-index)`, select any of the index macros and enter the arguments with completion.

- **The Index Phrases File (Delayed Indexing)**

Type `C-c \ (reftex-index-phrase-selection-or-word)` to add the current word or selection to a special *index phrase file*. **RefTeX** can later search the document for occurrences of these phrases and let you interactively index the matches.

- **Displaying and Editing the Index**

To display the compiled index in a special buffer, type `C-c > (reftex-display-index)`. From that buffer you can check and edit all entries.

5. Viewing Cross-References

When point is on the *key* argument of a cross-referencing macro (`\label`, `\ref`, `\cite`, `\bibitem`, `\index`, and variations) or inside a BibTeX database entry, you can press `C-c &` (`reftex-view-crossref`) to display corresponding locations in the document and associated BibTeX database files.

When the enclosing macro is `\cite` or `\ref` and no other message occupies the echo area, information about the citation or label will automatically be displayed in the echo area.

6. Multifile Documents

Multifile Documents are fully supported. The included files must have a file variable `TeX-master` or `tex-main-file` pointing to the master file. **RefTeX** provides cross-referencing information from all parts of the document, and across document borders (`'xr.sty'`).

7. Document Parsing

RefTeX needs to parse the document in order to find labels and other information. It does it automatically once and updates its list internally when `reftex-label` and `reftex-index` are used. To enforce reparsing, call any of the commands described above with a raw `C-u` prefix, or press the `r` key in the label selection buffer, the table of contents buffer, or the index buffer.

8. AUCTeX

If your major LaTeX mode is AUCTeX, **RefTeX** can cooperate with it (see variable `reftex-plug-into-AUCTeX`). AUCTeX contains style files which trigger appropriate settings in **RefTeX**, so that for many of the popular LaTeX packages no additional customizations will be necessary.

9. Useful Settings

To make **RefTeX** faster for large documents, try these:

```
(setq reftex-enable-partial-scans t)
(setq reftex-save-parse-info t)
(setq reftex-use-multiple-selection-buffers t)
```

To integrate with AUCTeX, use

```
(setq reftex-plug-into-AUCTeX t)
```

To make your own LaTeX macro definitions known to **RefTeX**, customize the variables

```
reftex-label-alist           (for label macros/environments)
reftex-section-levels       (for sectioning commands)
reftex-cite-format          (for \cite-like macros)
reftex-index-macros         (for \index-like macros)
reftex-index-default-macro  (to set the default macro)
```

If you have a large number of macros defined, you may want to write an AUCTeX style file to support them with both AUCTeX and **RefTeX**.

10. Where Next?

Go ahead and use **RefTeX**. Use its menus until you have picked up the key bindings. For an overview of what you can do in each of the different special buffers, press `?`. Read the manual if you get stuck, or if you are curious what else might be available. The first part of the manual explains in a tutorial way how to use and customize **RefTeX**. The second part is a command and variable reference.

2 Table of Contents

Pressing the keys `C-c =` pops up a buffer showing the table of contents of the document. By default, this `*toc*` buffer shows only the sections of a document. Using the `l` and `i` keys you can display all labels and index entries defined in the document as well.

With the cursor in any of the lines denoting a location in the document, simple key strokes will display the corresponding part in another window, jump to that location, or perform other actions.

Here is a list of special commands in the `*toc*` buffer. A summary of this information is always available by pressing `?`.

General

`?` Display a summary of commands.

`0-9, -` Prefix argument.

Moving around

`n` Goto next entry in the table of context.

`p` Goto previous entry in the table of context.

`C-c C-n` Goto next section heading. Useful when many labels and index entries separate section headings.

`C-c C-p` Goto previous section heading.

`N z` Jump to section N, using the prefix arg. For example, `3 z` jumps to section 3.

Access to document locations

`(SPC)` Show the corresponding location in another window. This command does *not* select that other window.

`(TAB)` Goto the location in another window.

`(RET)` Go to the location and hide the `*toc*` buffer. This will restore the window configuration before `reftex-toc (C-c =)` was called.

`mouse-2` Clicking with mouse button 2 on a line has the same effect as `(RET)`. See also variable `reftex-highlight-selection`, Section 9.10 [Options (Fontification)], page 60.

`f` Toggle follow mode. When follow mode is active, the other window will always show the location corresponding to the line at point in the `*toc*` buffer. This is similar to pressing `(SPC)` after each cursor motion. The default for this flag can be set with the variable `reftex-toc-follow-mode`. Note that only context in files already visited is shown. **RefTeX** will not visit a file just for follow mode. See, however, the variable `reftex-revisit-to-follow`.

`.` Show calling point in another window. This is the point from where `reftex-toc` was last called.

Exiting

- `q` Hide the `*toc*` buffer, return to the position where `reftex-toc` was last called.
- `k` Kill the `*toc*` buffer, return to the position where `reftex-toc` was last called.
- `C-c >` Switch to the `*Index*` buffer of this document. With prefix `'2'`, restrict the index to the section at point in the `*toc*` buffer.

Controlling what gets displayed

- `t` Change the maximum level of toc entries displayed in the `*toc*` buffer. Without prefix `arg`, all levels will be included. With prefix `arg` (e.g `3 t`), ignore all toc entries with level greater than `arg` (3 in this case). Chapters are level 1, sections are level 2. The mode line `'T<>'` indicator shows the current value. The default depth can be configured with the variable `reftex-toc-max-level`.
- `F` Toggle the display of the file borders of a multifile document in the `*toc*` buffer. The default for this flag can be set with the variable `reftex-toc-include-file-boundaries`.
- `l` Toggle the display of labels in the `*toc*` buffer. The default for this flag can be set with the variable `reftex-toc-include-labels`. When called with a prefix argument, **RefTeX** will prompt for a label type and include only labels of the selected type in the `*toc*` buffer. The mode line `'L<>'` indicator shows which labels are included.
- `i` Toggle the display of index entries in the `*toc*` buffer. The default for this flag can be set with the variable `reftex-toc-include-index-entries`. When called with a prefix argument, **RefTeX** will prompt for a specific index and include only entries in the selected index in the `*toc*` buffer. The mode line `'I<>'` indicator shows which index is used.
- `c` Toggle the display of label and index context in the `*toc*` buffer. The default for this flag can be set with the variable `reftex-toc-include-context`.

Updating the buffer

- `g` Rebuild the `*toc*` buffer. This does *not* rescan the document.
- `r` Reparse the LaTeX document and rebuild the `*toc*` buffer. When `reftex-enable-partial-scans` is non-nil, rescan only the file this location is defined in, not the entire document.
- `C-u r` Reparse the *entire* LaTeX document and rebuild the `*toc*` buffer.
- `x` Switch to the `*toc*` buffer of an external document. When the current document is using the `xr` package (see Section 3.6 [`xr` (LaTeX package)], page 16), **RefTeX** will switch to one of the external documents.

In order to define additional commands for the `*toc*` buffer, the keymap `reftex-toc-map` may be used.

The section macros recognized by **RefTeX** are all LaTeX section macros (from `\part` to `\subsubparagraph`) and the commands `\addchap` and `\addsec` from the KOMA-Script classes. Additional macros can be configured with the variable `reftex-section-levels`. It is also possible to add certain LaTeX environments to the table of contents. This is probably

only useful for theorem-like environments. See Section 3.4 [Defining Label Environments], page 11, for an example.

3 Labels and References

LaTeX provides a powerful mechanism to deal with cross-references in a document. When writing a document, any part of it can be marked with a label, like `\label{mark}`. LaTeX records the current value of a certain counter when a label is defined. Later references to this label (like `\ref{mark}`) will produce the recorded value of the counter.

Labels can be used to mark sections, figures, tables, equations, footnotes, items in enumerate lists etc. LaTeX is context sensitive in doing this: A label defined in a figure environment automatically records the figure counter, not the section counter.

Several different environments can share a common counter and therefore a common label category. E.g. labels in both `equation` and `eqnarray` environments record the value of the same counter - the equation counter.

3.1 Creating Labels

In order to create a label in a LaTeX document, press `C-c` (`(refTeX-label)`). Just like LaTeX, **RefTeX** is context sensitive and will figure out the environment it currently is in and adapt the label to that environment. A label usually consists of a short prefix indicating the type of the label and a unique mark. **RefTeX** has 3 different modes to create this mark.

1. A label can be derived from context. This means, **RefTeX** takes the context of the label definition and constructs a label from that¹. This works best for section labels, where the section heading is used to construct a label. In fact, **RefTeX**'s default settings use this method only for section labels. You will be asked to confirm the derived label, or edit it.
2. We may also use a simple unique number to identify a label. This is mostly useful for labels where it is difficult to come up with a very good descriptive name. **RefTeX**'s default settings use this method for equations, enumerate items and footnotes. The author of **RefTeX** tends to write documents with many equations and finds it impossible to come up with good names for each of them. These simple labels are inserted without query, and are therefore very fast. Good descriptive names are not really necessary as **RefTeX** will provide context to reference a label (see Section 3.2 [Referencing Labels], page 8).
3. The third method is to ask the user for a label. This is most useful for things which are easy to describe briefly and do not turn up too frequently in a document. **RefTeX** uses this for figures and tables. Of course, one can enter the label directly by typing the full `\label{mark}`. The advantage of using `refTeX-label` anyway is that **RefTeX** will know that a new label has been defined. It will then not be necessary to rescan the document in order to access this label later.

If you want to change the way certain labels are created, check out the variable `refTeX-insert-label-flags` (see Section 9.3 [Options (Creating Labels)], page 48).

¹ Note that the context may contain constructs which are illegal in labels. **RefTeX** will therefore strip the accent from accented Latin-1 characters and remove everything else which is not legal in labels. This mechanism is safe, but may not be satisfactory for non-western languages. Check the following variables if you need to change things: `refTeX-translate-to-ascii-function`, `refTeX-derive-label-parameters`, `refTeX-label-illegal-re`, `refTeX-abbrev-parameters`.

If you are using AUCTeX to write your LaTeX documents, you can set it up to delegate the creation of labels to **RefTeX**. See Section 7.8 [AUCTeX], page 35, for more information.

3.2 Referencing Labels

Referencing Labels is really at the heart of **RefTeX**. Press `C-c)` in order to reference a label (`reftex-reference`). This will start a selection process and finally insert the complete `\ref{label}` into the buffer.

First, **RefTeX** will determine the label category which is required. Often that can be figured out from context. For example, if you write `'As shown in eq.'` and then press `C-c)`, **RefTeX** knows that an equation label is going to be referenced. If it cannot figure out what label category is needed, it will query for one.

You will then be presented with a label selection menu. This is a special buffer which contains an outline of the document along with all labels of the given label category. In addition, next to the label there will be one line of context of the label definition, which is some text in the buffer near the label definition. Usually this is sufficient to identify the label. If you are unsure about a certain label, pressing `(SPC)` will show the label definition point in another window.

In order to reference a label, move the cursor to the correct label and press `(RET)`. You can also reference several labels with a single call to `reftex-reference` by marking entries with the `m` key (see below).

Here is a list of special commands in the selection buffer. A summary of this information is always available from the selection process by pressing `?`.

General

- `?` Show a summary of available commands.
- `0-9, -` Prefix argument.

Moving around

- `n` Go to next label.
- `p` Go to previous label.
- `b` Jump back to the position where you last left the selection buffer. Normally this should get you back to the last referenced label.
- `C-c C-n` Goto next section heading.
- `C-c C-p` Goto previous section heading.
- `N z` Jump to section N, using the prefix arg. For example `3 z` jumps to section 3.

Displaying Context

- `(SPC)` Show the surroundings of the definition of the current label in another window. See also the `f` key.
- `f` Toggle follow mode. When follow mode is active, the other window will always display the full context of the current label. This is similar to pressing `(SPC)` after each cursor motion. Note that only context in files already visited is shown. **RefTeX** will not visit a file just for follow mode. See, however, the variable `reftex-revisit-to-follow`.

- . Show insertion point in another window. This is the point from where you called `reftex-reference`.

Selecting a label and creating the reference

- `(RET)` Insert a reference to the label at point into the buffer from which the selection process was started. When entries have been marked, `(RET)` references all marked labels.
- `mouse-2` Clicking with mouse button 2 on a label will accept it like `(RET)` would. See also variable `reftex-highlight-selection`, Section 9.11 [Options (Misc)], page 62.
- `m - + ,` Mark the current entry. When several entries have been marked, pressing `RET` will accept all of them and place them into several `\ref` macros. The special markers ‘, -+’ also store a separator to be inserted before the corresponding reference. So marking six entries with the keys ‘m , , - , +’ will give a reference list like this (see the variable `reftex-multiref-punctuation`)

In eqs. (1), (2), (3)--(4), (5) and (6)
- `u` Unmark a marked entry.
- `a` Accept the marked entries and put all labels as a comma-separated list into one `single \ref` macro. Some packages like ‘`saferef.sty`’ support multiple references in this way.
- `l` Use the last referenced label(s) again. This is equivalent to moving to that label and pressing `(RET)`.
- `(TAB)` Enter a label with completion. This may also be a label which does not yet exist in the document.
- `v` Toggle between `\ref` and `\vref` macro for references. The `\vref` macro is defined in the `varioref` LaTeX package. With this key you can force **RefTeX** to insert a `\vref` macro. The current state of this flag is displayed by the ‘`S<>`’ indicator in the mode line of the selection buffer.
- `V` Cycle between `\ref`, `\fref` and `\Fref`. The `\fref` and `\Fref` macros are defined in the `fancyref` LaTeX package. With this key you can force **RefTeX** to insert a `\fref` or `\Fref` macro. The current state of this flag is displayed by the ‘`S<>`’ indicator in the mode line of the selection buffer.

Exiting

- `q` Exit the selection process without inserting any reference into the buffer.

Controlling what gets displayed

The defaults for the following flags can be configured with the variable `reftex-label-menu-flags` (see Section 9.4 [Options (Referencing Labels)], page 49).

- `c` Toggle the display of the one-line label definition context in the selection buffer.
- `F` Toggle the display of the file borders of a multifile document in the selection buffer.
- `t` Toggle the display of the table of contents in the selection buffer. With prefix `arg`, change the maximum level of toc entries displayed to `arg`. Chapters are level 1, section are level 2.

- # Toggle the display of a label counter in the selection buffer.
- % Toggle the display of labels hidden in comments in the selection buffers. Sometimes, you may have commented out parts of your document. If these parts contain label definitions, **RefTeX** can still display and reference these labels.

Updating the buffer

- g* Update the menu. This will rebuilt the menu from the internal label list, but not reparse the document (see *r*).
- r* Reparse the document to update the information on all labels and rebuild the menu. If the variable `refTeX-enable-partial-scans` is non-nil and your document is a multifile document, this will reparse only a part of the document (the file in which the label at point was defined).
- C-u r* Reparse the *entire* document.
- s* Switch the label category. After prompting for another label category, a menu for that category will be shown.
- x* Reference a label from an external document. With the LaTeX package `xr` it is possible to reference labels defined in another document. This key will switch to the label menu of an external document and let you select a label from there (see Section 3.6 [xr], page 16).

In order to define additional commands for the selection process, the keymap `refTeX-select-label-map` may be used.

3.3 Builtin Label Environments

RefTeX needs to be aware of the environments which can be referenced with a label (i.e. which carry their own counters). By default, **RefTeX** recognizes all labeled environments and macros discussed in *The LaTeX Companion by Goossens, Mittelbach & Samarin, Addison-Wesley 1994.* These are:

- `figure`, `figure*`, `table`, `table*`, `equation`, `eqnarray`, `enumerate`, the `\footnote` macro (this is the LaTeX core stuff)
- `align`, `gather`, `multline`, `flalign`, `alignat`, `xalignat`, `xxalignat`, `subequations` (from AMS-LaTeX's 'amsmath.sty' package)
- the `\endnote` macro (from 'endnotes.sty')
- `Beqnarray` ('fancybox.sty')
- `floatingfig` ('floatfig.sty')
- `longtable` ('longtable.sty')
- `figwindow`, `tabwindow` ('picinpar.sty')
- `SCfigure`, `SCtable` ('sidecap.sty')
- `sidewaysfigure`, `sidewaystable` ('rotating.sty')
- `subfigure`, `subfigure*`, the `\subfigure` macro ('subfigure.sty')
- `supertabular` ('supertab.sty')
- `wrapfigure` ('wrapfig.sty')

If you want to use other labeled environments, defined with `\newtheorem`, **RefTeX** needs to be configured to recognize them (see Section 3.4 [Defining Label Environments], page 11).

3.4 Defining Label Environments

RefTeX can be configured to recognize additional labeled environments and macros. This is done with the variable `reftex-label-alist` (see Section 9.2 [Options (Defining Label Environments)], page 45). If you are not familiar with Lisp, you can use the `custom` library to configure this rather complex variable. To do this, use

```
M-x customize-variable (RET) reftex-label-alist (RET)
```

Here we will discuss a few examples, in order to make things clearer. It can also be instructive to look at the constant `reftex-label-alist-builtin` which contains the entries for all the builtin environments and macros (see Section 3.3 [Builtin Label Environments], page 10).

3.4.1 Theorem and Axiom Environments

Suppose you are using `\newtheorem` in LaTeX in order to define two new environments, `theorem` and `axiom`

```
\newtheorem{axiom}{Axiom}
\newtheorem{theorem}{Theorem}
```

to be used like this:

```
\begin{axiom}
\label{ax:first}
...
\end{axiom}
```

So we need to tell **RefTeX** that `theorem` and `axiom` are new labeled environments which define their own label categories. We can either use Lisp to do this (e.g. in `.emacs`) or use the custom library. With Lisp it would look like this

```
(setq reftex-label-alist
      '(("axiom" ?a "ax:" "~\\ref{%s}" nil ("axiom" "ax.") -2)
        ("theorem" ?h "thr:" "~\\ref{%s}" t ("theorem" "th.") -3)))
```

The type indicator characters `?a` and `?h` are used for prompts when **RefTeX** queries for a label type. `?h` was chosen for `theorem` since `?t` is already taken by `table`. Note that also `?s`, `?f`, `?e`, `?i`, `?n` are already used for standard environments.

The labels for Axioms and Theorems will have the prefixes `ax:` and `thr:`, respectively. See Section 7.8 [AUCTeX], page 35, for information on how AUCTeX can use **RefTeX** to automatically create labels when a new environment is inserted into a buffer.

The `“~\\ref{%s}”` is a format string indicating how to insert references to these labels.

The next item indicates how to grab context of the label definition.

- `t` means to get it from a default location (from the beginning of a `\macro` or after the `\begin` statement). `t` is *not* a good choice for `eqnarray` and similar environments.
- `nil` means to use the text right after the label definition.
- For more complex ways of getting context, see the variable `reftex-label-alist` (Section 9.2 [Options (Defining Label Environments)], page 45).

The following list of strings is used to guess the correct label type from the word before point when creating a reference. E.g. if you write: ‘As we have shown in Theorem’ and then press `C-c`), **Reftex** will know that you are looking for a theorem label and restrict the menu to only these labels without even asking.

The final item in each entry is the level at which the environment should produce entries in the table of context buffer. If the number is positive, the environment will produce numbered entries (like `\section`), if it is negative the entries will be unnumbered (like `\section*`). Use this only for environments which structure the document similar to sectioning commands. For everything else, omit the item.

To do the same configuration with `customize`, you need to click on the `[INS]` button twice to create two templates and fill them in like this:

```
Reftex Label Alist: [Hide]
[INS] [DEL] Package or Detailed      : [Value Menu] Detailed:
      Environment or \macro          : [Value Menu] String: axiom
      Type specification             : [Value Menu] Char   : a
      Label prefix string            : [Value Menu] String: ax:
      Label reference format         : [Value Menu] String: ~\ref{%s}
      Context method                 : [Value Menu] After label
      Magic words:
      [INS] [DEL] String: axiom
      [INS] [DEL] String: ax.
      [INS]
      [X] Make TOC entry             : [Value Menu] Level: -2
[INS] [DEL] Package or Detailed      : [Value Menu] Detailed:
      Environment or \macro          : [Value Menu] String: theorem
      Type specification             : [Value Menu] Char   : h
      Label prefix string            : [Value Menu] String: thr:
      Label reference format         : [Value Menu] String: ~\ref{%s}
      Context method                 : [Value Menu] Default position
      Magic words:
      [INS] [DEL] String: theorem
      [INS] [DEL] String: theor.
      [INS] [DEL] String: th.
      [INS]
      [X] Make TOC entry             : [Value Menu] Level: -3
```

Depending on how you would like the label insertion and selection for the new environments to work, you might want to add the letters ‘a’ and ‘h’ to some of the flags in the variables `reftex-insert-label-flags` (see Section 9.3 [Options (Creating Labels)], page 48) and `reftex-label-menu-flags` (see Section 9.4 [Options (Referencing Labels)], page 49).

3.4.2 Quick Equation Macro

Suppose you would like to have a macro for quick equations. It could be defined like this:

```
\newcommand{\quickeq}[1]{\begin{equation} #1 \end{equation}}
```

and used like this:

Einstein's equation is `\quickeq{E=mc^2 \label{eq:einstein}}`.

We need to tell **ReTeX** that any label defined in the argument of the `\quickeq` is an equation label. Here is how to do this with lisp:

```
(setq reftex-label-alist '(("\\quickeq{" ?e nil nil 1 nil)))
```

The first element in this list is now the macro with empty braces as an *image* of the macro arguments. `?e` indicates that this is an equation label, the different `nil` elements indicate to use the default values for equations. The '1' as the fifth element indicates that the context of the label definition should be the 1st argument of the macro.

Here is again how this would look in the customization buffer:

```
Reftex Label Alist: [Hide]
[INS] [DEL] Package or Detailed : [Value Menu] Detailed:
      Environment or \macro : [Value Menu] String: \quickeq{}
      Type specification : [Value Menu] Char : e
      Label prefix string : [Value Menu] Default
      Label reference format: [Value Menu] Default
      Context method : [Value Menu] Macro arg nr: 1
      Magic words:
      [INS]
      [ ] Make TOC entry : [Value Menu] No entry
```

3.4.3 Figure Wrapping Macro

Suppose you want to make figures not directly with the figure environment, but with a macro like

```
\newcommand{\myfig}[5][tbp]{%
  \begin{figure}[#1]
    \epsimp[#5]{#2}
    \caption{#3}
    \label{#4}
  \end{figure}}
```

which would be called like

```
\myfig[http]{filename}{caption text}{label}{1}
```

Now we need to tell **ReTeX** that the 4th argument of the `\myfig` macro *is itself* a figure label, and where to find the context.

```
(setq reftex-label-alist
      '(("\\myfig[]{}{*}{" ?f nil nil 3)))
```

The empty pairs of brackets indicate the different arguments of the `\myfig` macro. The '*' marks the label argument. `?f` indicates that this is a figure label which will be listed together with labels from normal figure environments. The `nil` entries for prefix and reference format mean to use the defaults for figure labels. The '3' for the context method means to grab the 3rd macro argument - the caption.

As a side effect of this configuration, `reftex-label` will now insert the required naked label (without the `\label` macro) when point is directly after the opening parenthesis of a `\myfig` macro argument.

Again, here the configuration in the customization buffer:

```

[INS] [DEL] Package or Detailed      : [Value Menu] Detailed:
          Environment or \macro      : [Value Menu] String: \myfig[]{}{}{*}{}
          Type specification         : [Value Menu] Char   : f
          Label prefix string       : [Value Menu] Default
          Label reference format     : [Value Menu] Default
          Context method             : [Value Menu] Macro arg nr: 3
          Magic words:
            [INS]
          [ ] Make TOC entry         : [Value Menu] No entry

```

3.4.4 Adding Magic Words

Sometimes you don't want to define a new label environment or macro, but just change the information associated with a label category. Maybe you want to add some magic words, for another language. Changing only the information associated with a label category is done by giving `nil` for the environment name and then specify the items you want to define. Here is an example which adds German magic words to all predefined label categories.

```

(setq reftex-label-alist
  '((nil ?s nil nil nil ("Kapitel" "Kap." "Abschnitt" "Teil"))
    (nil ?e nil nil nil ("Gleichung" "Gl."))
    (nil ?t nil nil nil ("Tabelle"))
    (nil ?f nil nil nil ("Figur" "Abbildung" "Abb."))
    (nil ?n nil nil nil ("Anmerkung" "Anm."))
    (nil ?i nil nil nil ("Punkt"))))

```

3.4.5 Using `\eqref`

Another case where one only wants to change the information associated with the label category is to change the macro which is used for referencing the label. When working with the AMS-LaTeX stuff, you might prefer `\eqref` for doing equation references. Here is how to do this:

```

(setq reftex-label-alist '((nil ?e nil "~\eqref{%s}" nil nil)))

```

RefTeX has also a predefined symbol for this special purpose. The following is equivalent to the line above.

```

(setq reftex-label-alist '(AMSTeX))

```

Note that this is automatically done by the `'amsmath.el'` style file of AUCTeX (see Section 7.8.2 [Style Files], page 36) - so if you use AUCTeX, this configuration will not be necessary.

3.4.6 Non-standard Environments

Some LaTeX packages define environment-like structures without using the standard `'\begin...\end'` structure. **RefTeX** cannot parse these directly, but you can write your own special-purpose parser and use it instead of the name of an environment in an entry for `reftex-label-alist`. The function should check if point is currently in the special environment it was written to detect. If so, it must return a buffer position indicating the start of this environment. The return value must be `nil` on failure to detect the


```
(cond
  ((match-beginning 1)
   ;; empty line terminates all - return nil
   (throw 'exit nil))
  ((match-beginning 2)
   ;; \z. terminates one list level - decrease nesting count
   (decf cnt))
  ((match-beginning 3)
   ;; \ex. : return match unless there was a \z. on this level
   (throw 'exit (if (>= cnt 0) (match-beginning 3) nil)))
  ((match-beginning 4)
   ;; \a. : return match when on level 0, otherwise
   ;;      increment nesting count
   (if (>= cnt 0)
       (throw 'exit (match-beginning 4))
       (incf cnt))))))
```

3.4.7 Putting it all together

When you have to put several entries into `reftex-label-alist`, just put them after each other in a list, or create that many templates in the customization buffer. Here is a lisp example which uses several of the entries described above:

```
(setq reftex-label-alist
      '(("axiom" ?a "ax:" "~\\ref{%s}" nil ("axiom" "ax.") -2)
        ("theorem" ?h "thr:" "~\\ref{%s}" t ("theorem" "theor." "th.") -3)
        ("\\quickeq{}" ?e nil nil 1 nil)
        AMSTeX
        ("\\myfig[]{}{}{*}{}" ?f nil nil 3)
        (detect-linguex ?x "ex:" "~\\ref{%s}" nil ("Example" "Ex."))))
```

3.5 Reference Info

When point is idle on the argument of a `\ref` macro, the echo area will display some information about the label referenced there. Note that the information is only displayed if the echo area is not occupied by a different message.

RefTeX can also display the label definition corresponding to a `\ref` macro, or all reference locations corresponding to a `\label` macro. See Chapter 6 [Viewing Cross-References], page 29, for more information.

3.6 xr: Cross-Document References

The LaTeX package `xr` makes it possible to create references to labels defined in external documents. The preamble of a document using `xr` will contain something like this:

```
\usepackage{xr}
\externaldocument[V1-]{volume1}
\externaldocument[V3-]{volume3}
```

and we can make references to any labels defined in these external documents by using the prefixes `'V1-'` and `'V3-'`, respectively.

RefTeX can be used to create such references as well. Start the referencing process normally, by pressing `C-c`). Select a label type if necessary. When you see the label selection buffer, pressing `x` will switch to the label selection buffer of one of the external documents. You may then select a label as before and **RefTeX** will insert it along with the required prefix.

For this kind of inter-document cross-references, saving of parsing information and the use of multiple selection buffers can mean a large speed-up (see Section 7.7 [Optimizations], page 32).

3.7 varioref: Variable Page References

`varioref` is a frequently used LaTeX package to create cross-references with page information. When you want to make a reference with the `\vref` macro, just press the `v` key in the selection buffer to toggle between `\ref` and `\vref` (see Section 3.2 [Referencing Labels], page 8). The mode line of the selection buffer shows the current status of this switch. If you find that you almost always use `\vref`, you may want to make it the default by customizing the variable `reftex-vref-is-default`. If this toggling seems too inconvenient, you can also use the command `reftex-varioref-vref2`. Or use AUCTeX to create your macros (see Section 7.8 [AUCTeX], page 35).

3.8 fancyref: Fancy Cross References

`fancyref` is a LaTeX package where a macro call like `\fref{fig:map-of-germany}` creates not only the number of the referenced counter but also the complete text around it, like ‘Figure 3 on the preceding page’. In order to make it work you need to use label prefixes like ‘fig:’ consistently - something **RefTeX** does automatically. When you want to make a reference with the `\fref` macro, just press the `V` key in the selection buffer to cycle between `\ref`, `\fref` and `\Fref` (see Section 3.2 [Referencing Labels], page 8). The mode line of the selection buffer shows the current status of this switch. If this cycling seems inconvenient, you can also use the commands `reftex-fancyref-fref` and `reftex-fancyref-Fref3`. Or use AUCTeX to create your macros (see Section 7.8 [AUCTeX], page 35).

² bind it to `C-c v`.

³ bind them to `C-c f` and `C-c F`.

4 Citations

Citations in LaTeX are done with the `\cite` macro or variations of it. The argument of the macro is a citation key which identifies an article or book in either a BibTeX database file or in an explicit `thebibliography` environment in the document. **RefTeX**'s support for citations helps to select the correct key quickly.

4.1 Creating Citations

In order to create a citation, press `C-c [`. **RefTeX** then prompts for a regular expression which will be used to search through the database and present the list of matches to choose from in a selection process similar to that for selecting labels (see Section 3.2 [Referencing Labels], page 8).

The regular expression uses an extended syntax: `'&&'` defines a logic **and** for regular expressions. For example `'Einstein&&Bose'` will match all articles which mention Bose-Einstein condensation, or which are co-authored by Bose and Einstein. When entering the regular expression, you can complete on known citation keys.

RefTeX prefers to use BibTeX database files specified with a `\bibliography` macro to collect its information. Just like BibTeX, it will search for the specified files in the current directory and along the path given in the environment variable `BIBINPUTS`. If you do not use BibTeX, but the document contains an explicit `thebibliography` environment, **RefTeX** will collect its information from there. Note that in this case the information presented in the selection buffer will just be a copy of relevant `\bibitem` entries, not the structured listing available with BibTeX database files.

In the selection buffer, the following keys provide special commands. A summary of this information is always available from the selection process by pressing `?`.

General

`?` Show a summary of available commands.

`0-9, -` Prefix argument.

Moving around

`n` Go to next article.

`p` Go to previous article.

Access to full database entries

`(SPC)` Show the database entry corresponding to the article at point, in another window. See also the `f` key.

`f` Toggle follow mode. When follow mode is active, the other window will always display the full database entry of the current article. This is equivalent to pressing `(SPC)` after each cursor motion. With BibTeX entries, follow mode can be rather slow.

Selecting entries and creating the citation

`(RET)` Insert a citation referencing the article at point into the buffer from which the selection process was started.

- mouse-2* Clicking with mouse button 2 on a citation will accept it like `<RET>` would. See also variable `reftex-highlight-selection`, Section 9.11 [Options (Misc)], page 62.
- m* Mark the current entry. When one or several entries are marked, pressing `a` or `A` accepts all marked entries. Also, `<RET>` behaves like the `a` key.
- u* Unmark a marked entry.
- a* Accept all (marked) entries in the selection buffer and create a single `\cite` macro referring to them.
- A* Accept all (marked) entries in the selection buffer and create a separate `\cite` macro for each of it.
- `<TAB>` Enter a citation key with completion. This may also be a key which does not yet exist.
- `.` Show insertion point in another window. This is the point from where you called `reftex-citation`.

Exiting

- q* Exit the selection process without inserting a citation into the buffer.

Updating the buffer

- g* Start over with a new regular expression. The full database will be rescanned with the new expression (see also `r`).
- r* Refine the current selection with another regular expression. This will *not* rescan the entire database, but just the already selected entries.

In order to define additional commands for this selection process, the keymap `reftex-select-bib-map` may be used.

4.2 Citation Styles

The standard LaTeX macro `\cite` works well with numeric or simple key citations. To deal with the more complex task of author-year citations as used in many natural sciences, a variety of packages has been developed which define derived forms of the `\cite` macro. **ReTeX** can be configured to produce these citation macros as well by setting the variable `reftex-cite-format`. For the most commonly used packages (`natbib`, `harvard`, `chicago`) this may be done from the menu, under **Ref->Citation Styles**. Since there are usually several macros to create the citations, executing `reftex-citation (C-c l)` starts by prompting for the correct macro. For the Natbib style, this looks like this:

```
SELECT A CITATION FORMAT

[~M]  \cite{%1}
[t]    \citet{%1}
[T]    \citet*{%1}
[p]    \citep{%1}
[P]    \citep*{%1}
[e]    \citep[e.g.] []{%1}
```

```
[s]   \citep[see] []{%1}
[a]   \citeauthor{%1}
[A]   \citeauthor*{%1}
[y]   \citeyear{%1}
```

Following the most generic of these packages, `natbib`, the builtin citation packages always accept the `t` key for a *textual* citation (like: Jones et al. (1997) have shown...) as well as the `p` key for a parenthetical citation (like: As shown earlier (Jones et al, 1997)).

To make one of these styles the default, customize the variable `reftex-cite-format` or put into `.emacs`:

```
(setq reftex-cite-format 'natbib)
```

You can also use AUCTeX style files to automatically set the citation style based on the `usepackage` commands in a given document. See Section 7.8.2 [Style Files], page 36, for information on how to set up the style files correctly.

4.3 Citation Info

When point is idle on the argument of a `\cite` macro, the echo area will display some information about the article cited there. Note that the information is only displayed if the echo area is not occupied by a different message.

RefTeX can also display the `\bibitem` or BibTeX database entry corresponding to a `\cite` macro, or all citation locations corresponding to a `\bibitem` or BibTeX database entry. See Chapter 6 [Viewing Cross-References], page 29.

4.4 Chapterbib and Bibunits

`chapterbib` and `bibunits` are two LaTeX packages which produce multiple bibliographies in a document. This is no problem for **RefTeX** as long as all bibliographies use the same BibTeX database files. If they do not, it is best to have each document part in a separate file (as it is required for `chapterbib` anyway). Then **RefTeX** will still scan the locally relevant databases correctly. If you have multiple bibliographies within a *single file*, this may or may not be the case.

4.5 Citations outside LaTeX

The command `reftex-citation` can also be executed outside a LaTeX buffer. This can be useful to reference articles in the mail buffer and other documents. You should *not* enter `reftex-mode` for this, just execute the command. The list of BibTeX files will in this case be taken from the variable `reftex-default-bibliography`. Setting the variable `reftex-cite-format` to the symbol `locally` does a decent job of putting all relevant information about a citation directly into the buffer. Here is the lisp code to add the `C-c [` binding to the mail buffer. It also provides a local binding for `reftex-cite-format`.

```
(add-hook 'mail-setup-hook
  (lambda () (define-key mail-mode-map "\C-c["
    (lambda () (interactive)
      (require 'reftex)
      (let ((reftex-cite-format 'locally))
        (reftex-citation))))))
```

5 Index Support

LaTeX has builtin support for creating an Index. The LaTeX core supports two different indices, the standard index and a glossary. With the help of special LaTeX packages (`'multind.sty'` or `'index.sty'`), any number of indices can be supported.

Index entries are created with the `\index{entry}` macro. All entries defined in a document are written out to the `'aux'` file. A separate tool must be used to convert this information into a nicely formatted index. Tools used with LaTeX include `MakeIndex` and `xindy`.

Indexing is a very difficult task. It must follow strict conventions to make the index consistent and complete. There are basically two approaches one can follow, and both have their merits.

1. Part of the indexing should already be done with the markup. The document structure should be reflected in the index, so when starting new sections, the basic topics of the section should be indexed. If the document contains definitions, theorems or the like, these should all correspond to appropriate index entries. This part of the index can very well be developed along with the document. Often it is worthwhile to define special purpose macros which define an item and at the same time make an index entry, possibly with special formatting to make the reference page in the index bold or underlined. To make **RefTeX** support for indexing possible, these special macros must be added to **RefTeX**'s configuration (see Section 5.5 [Defining Index Macros], page 27).
2. The rest of the index is often just a collection of where in the document certain words or phrases are being used. This part is difficult to develop along with the document, because consistent entries for each occurrence are needed and are best selected when the document is ready. **RefTeX** supports this with an *index phrases file* which collects phrases and helps indexing the phrases globally.

Before you start, you need to make sure that **RefTeX** knows about the index style being used in the current document. **RefTeX** has builtin support for the default `\index` and `\glossary` macros. Other LaTeX packages, like the `'multind'` or `'index'` package, redefine the `\index` macro to have an additional argument, and **RefTeX** needs to be configured for those. A sufficiently new version of AUCTeX (9.10c or later) will do this automatically. If you really don't use AUCTeX (you should!), this configuration needs to be done by hand with the menu (Ref->Index Style), or globally for all your documents with

```
(setq refTeX-index-macros '(multind))      or
(setq refTeX-index-macros '(index))
```

5.1 Creating Index Entries

In order to index the current selection or the word at the cursor press `C-c / (refTeX-index-selection-or-word)`. This causes the selection or word `'word'` to be replaced with `'\index{word}word'`. The macro which is used (`\index` by default) can be configured with the variable `refTeX-index-default-macro`. When the command is called with a prefix argument (`C-u C-c /`), you get a chance to edit the generated index entry. Use this to change the case of the word or to make the entry a subentry, for example by entering `'main!sub!word'`. When called with two raw `C-u` prefixes (`C-u C-u C-c /`), you will be

asked for the index macro as well. When there is nothing selected and no word at point, this command will just call `reftex-index`, described below.

In order to create a general index entry, press `C-c <` (`reftex-index`). **RefTeX** will prompt for one of the available index macros and for its arguments. Completion will be available for the index entry and, if applicable, the index tag. The index tag is a string identifying one of multiple indices. With the ‘`multind`’ and ‘`index`’ packages, this tag is the first argument to the redefined `\index` macro.

5.2 The Index Phrases File

RefTeX maintains a file in which phrases can be collected for later indexing. The file is located in the same directory as the master file of the document and has the extension ‘`.rip`’ (**R**eftex **I**ndex **P**hrases). You can create or visit the file with `C-c |` (`reftex-index-visit-phrases-buffer`). If the file is empty it is initialized by inserting a file header which contains the definition of the available index macros. This list is initialized from `reftex-index-macros` (see Section 5.5 [Defining Index Macros], page 27). You can edit the header as needed, but if you define new LaTeX indexing macros, don’t forget to add them to `reftex-index-macros` as well. Here is a phrase file header example:

```
% -*- mode: reftex-index-phrases -*-
%
%-----
>>>INDEX_MACRO_DEFINITION:  i   \index{%s}      t
>>>INDEX_MACRO_DEFINITION:  I   \index*{%s}    nil
>>>INDEX_MACRO_DEFINITION:  g   \glossary{%s}  t
>>>INDEX_MACRO_DEFINITION:  n   \index*[name]{%s} nil
%-----
```

The macro definition lines consist of a unique letter identifying a macro, a format string and the *repeat* flag, all separated by `(\TAB)`. The format string shows how the macro is to be applied, the ‘`%s`’ will be replaced with the index entry. The repeat flag indicates if *word* is indexed by the macro as ‘`\index{word}`’ (*repeat* = `nil`) or as ‘`\index{word}word`’ (*repeat* = `t`). In the above example it is assumed that the macro `\index*{word}` already typesets its argument in the text, so that it is unnecessary to repeat *word* outside the macro.

5.2.1 Collecting Phrases

Phrases for indexing can be collected while writing the document. The command `C-c \` (`reftex-index-phrase-selection-or-word`) copies the current selection (if active) or the word near point into the phrases buffer. It then selects this buffer, so that the phrase line can be edited. To return to the LaTeX document, press `C-c C-c` (`reftex-index-phrases-save-and-return`).

You can also prepare the list of index phrases in a different way and copy it into the phrases file. For example you might want to start from a word list of the document and remove all words which should not be indexed.

The phrase lines in the phrase buffer must have a specific format. **RefTeX** will use font-lock to indicate if a line has the proper format. A phrase line looks like this:

```
[key] <TABs> phrase [<TABs> arg[&&arg]... [ || arg]...]
```

<TABs> stands for white space containing at least one `<TAB>`. *key* must be at the start of the line and is the character identifying one of the macros defined in the file header. It is optional - when omitted, the first macro definition line in the file will be used for this phrase. The *phrase* is the phrase to be searched for when indexing. It may contain several words separated by spaces. By default the search phrase is also the text entered as argument of the index macro. If you want the index entry to be different from the search phrase, enter another `<TAB>` and the index argument *arg*. If you want to have each match produce several index entries, separate the different index arguments with ‘&&’¹. If you want to be able to choose at each match between several different index arguments, separate them with ‘||’². Here is an example:

```
%-----
I      Sun
i      Planet          Planets
i      Vega            Stars!Vega
          Jupiter      Planets!Jupiter
i      Mars            Planets!Mars || Gods!Mars || Chocolate Bars!Mars
i      Pluto          Planets!Pluto && Kuiper Belt Objects!Pluto
```

So ‘Sun’ will be indexed directly as ‘\index*{Sun}’, while ‘Planet’ will be indexed as ‘\index{Planets}Planet’. ‘Vega’ will be indexed as a subitem of ‘Stars’. The ‘Jupiter’ line will also use the ‘i’ macro as it was the first macro definition in the file header (see above example). At each occurrence of ‘Mars’ you will be able choose between indexing it as a subitem of ‘Planets’, ‘Gods’ or ‘Chocolate Bars’. Finally, every occurrence of ‘Pluto’ will be indexed as ‘\index{Planets!Pluto}\index{Kuiper Belt Objects!Pluto}Pluto’ and will therefore create two different index entries.

5.2.2 Consistency Checks

Before indexing the phrases in the phrases buffer, they should be checked carefully for consistency. A first step is to sort the phrases alphabetically - this is done with the command `C-c C-s (reftex-index-sort-phrases)`. It will sort all phrases in the buffer alphabetically by search phrase. If you want to group certain phrases and only sort within the groups, insert empty lines between the groups. Sorting will only change the sequence of phrases within each group (see the variable `reftex-index-phrases-sort-in-blocks`).

A useful command is `C-c C-i (reftex-index-phrases-info)` which lists information about the phrase at point, including an example of how the index entry will look like and the number of expected matches in the document.

Another important check is to find out if there are double or overlapping entries in the buffer. For example if you are first searching and indexing ‘Mars’ and then ‘Planet Mars’, the second phrase will not match because of the index macro inserted before ‘Mars’ earlier. The command `C-c C-t (reftex-index-find-next-conflict-phrase)` finds the next phrase in the buffer which is either duplicate or a subphrase of another phrase. In order to check the whole buffer like this, start at the beginning and execute this command repeatedly.

¹ ‘&&’ with optional spaces, see `reftex-index-phrases-logical-and-regexp`.

² ‘||’ with optional spaces, see `reftex-index-phrases-logical-or-regexp`.

5.2.3 Global Indexing

Once the index phrases have been collected and organized, you are set for global indexing. I recommend to do this only on an otherwise finished document. Global indexing starts from the phrases buffer. There are several commands which start indexing: `C-c C-x` acts on the current phrase line, `C-c C-r` on all lines in the current region and `C-c C-a` on all phrase lines in the buffer. It is probably good to do indexing in small chunks since your concentration may not last long enough to do everything in one go.

RefTeX will start at the first phrase line and search the phrase globally in the whole document. At each match it will stop, compute the replacement string and offer you the following choices³:

| | |
|------------------|---|
| <code>y</code> | Replace this match with the proposed string. |
| <code>n</code> | Skip this match. |
| <code>!</code> | Replace this and all further matches in this file. |
| <code>q</code> | Skip this match, start with next file. |
| <code>Q</code> | Skip this match, start with next phrase. |
| <code>o</code> | Select a different indexing macro for this match. |
| <code>1-9</code> | Select one of multiple index keys (those separated with ' '). |
| <code>e</code> | Edit the replacement text. |
| <code>C-r</code> | Recursive edit. Use <code>M-C-c</code> to return to the indexing process. |
| <code>s</code> | Save this buffer and ask again about the current match. |
| <code>S</code> | Save all document buffers and ask again about the current match. |
| <code>C-g</code> | Abort the indexing process. |

The **'Find and Index in Document'** menu in the phrases buffer also lists a few options for the indexing process. The options have associated customization variables to set the defaults (see Section 9.6 [Options (Index Support)], page 53). Here is a short explanation of what the options do:

Match Whole Words

When searching for index phrases, make sure whole words are matched. This should probably always be on.

Case Sensitive Search

Search case sensitively for phrases. I recommend to have this setting off, in order to match the capitalized words at the beginning of a sentence, and even typos. You can always say *no* at a match you do not like.

Wrap Long Lines

Inserting index macros increases the line length. Turn this option on to allow **RefTeX** to wrap long lines.

³ Windows users: Restrict yourself to the described keys during indexing. Pressing `<Help>` at the indexing prompt can apparently hang Emacs.

Skip Indexed Matches

When this is on, **RefTeX** will at each match try to figure out if this match is already indexed. A match is considered indexed if it is either the argument of an index macro, or if an index macro is directly (without whitespace separation) before or after the match. Index macros are those configured in `reftex-index-macos`. Intended for re-indexing a documents after changes have been made.

Even though indexing should be the last thing you do to a document, you are bound to make changes afterwards. Indexing then has to be applied to the changed regions. The command `reftex-index-phrases-apply-to-region` is designed for this purpose. When called from a LaTeX document with active region, it will apply `reftex-index-all-phrases` to the current region.

5.3 Displaying and Editing the Index

In order to compile and display the index, press `C-c >`. If the document uses multiple indices, **RefTeX** will ask you to select one. Then, all index entries will be sorted alphabetically and displayed in a special buffer, the `*Index*` buffer. From that buffer you can check and edit each entry.

The index can be restricted to the current section or the region. Then only entries in that part of the document will go into the compiled index. To restrict to the current section, use a numeric prefix ‘2’, thus press `C-u 2 C-c >`. To restrict to the current region, make the region active and use a numeric prefix ‘3’ (press `C-u 3 C-c >`). From within the `*Index*` buffer the restriction can be moved from one section to the next by pressing the `<` and `>` keys.

One caveat: **RefTeX** finds the definition point of an index entry by searching near the buffer position where it had found to macro during scanning. If you have several identical index entries in the same buffer and significant changes have shifted the entries around, you must rescan the buffer to ensure the correspondence between the `*Index*` buffer and the definition locations. It is therefore advisable to rescan the document (with `r` or `C-u r`) frequently while editing the index from the `*Index*` buffer.

Here is a list of special commands available in the `*Index*` buffer. A summary of this information is always available by pressing `?`.

General

- `?` Display a summary of commands.
- `0-9, -` Prefix argument.

Moving around

- `! A..Z` Pressing any capital letter will jump to the corresponding section in the `*Index*` buffer. The exclamation mark is special and jumps to the first entries alphabetically sorted below ‘A’. These are usually non-alphanumeric characters.
- `n` Go to next entry.
- `p` Go to previous entry.

Access to document locations

- `(SPC)` Show the place in the document where this index entry is defined.
- `(TAB)` Go to the definition of the current index entry in another window.
- `(RET)` Go to the definition of the current index entry and hide the ‘*Index*’ buffer window.
- `f` Toggle follow mode. When follow mode is active, the other window will always show the location corresponding to the line in the ‘*Index*’ buffer at point. This is similar to pressing `(SPC)` after each cursor motion. The default for this flag can be set with the variable `reftex-index-follow-mode`. Note that only context in files already visited is shown. **ReTeX** will not visit a file just for follow mode. See, however, the variable `reftex-revisit-to-follow`.

Entry editing

- `e` Edit the current index entry. In the minibuffer, you can edit the index macro which defines this entry.
- `C-k` Kill the index entry. Currently not implemented because I don’t know how to implement an `undo` function for this.
- `*` Edit the *key* part of the entry. This is the initial part of the entry which determines the location of the entry in the index.
- `|` Edit the *attribute* part of the entry. This is the part after the vertical bar. With `MakeIndex`, this part is an encapsulating macro. With `xindy`, it is called *attribute* and is a property of the index entry that can lead to special formatting. When called with `C-u` prefix, kill the entire *attribute* part.
- `@` Edit the *visual* part of the entry. This is the part after the ‘@’ which is used by `MakeIndex` to change the visual appearance of the entry in the index. When called with `C-u` prefix, kill the entire *visual* part.
- `(` Toggle the beginning of page range property ‘|(’ of the entry.
- `)` Toggle the end of page range property ‘|)’ of the entry.
- `_` Make the current entry a subentry. This command will prompt for the superordinate entry and insert it.
- `^` Remove the highest superordinate entry. If the current entry is a subitem (‘aaa!bbb!ccc’), this function moves it up the hierarchy (‘bbb!ccc’).

Exiting

- `q` Hide the ‘*Index*’ buffer.
- `k` Kill the ‘*Index*’ buffer.
- `C-c =` Switch to the Table of Contents buffer of this document.

Controlling what gets displayed

- `c` Toggle the display of short context in the ‘*Index*’ buffer. The default for this flag can be set with the variable `reftex-index-include-context`.
- `}` Restrict the index to a single document section. The corresponding section number will be displayed in the `R<>` indicator in the mode line and in the header of the ‘*Index*’ buffer.

- { Widen the index to contain all entries of the document.
- < When the index is currently restricted, move the restriction to the previous section.
- > When the index is currently restricted, move the restriction to the next section.

Updating the buffer

- g* Rebuild the ‘*Index*’ buffer. This does *not* rescan the document. However, it sorts the entries again, so that edited entries will move to the correct position.
- r* Reparsing the LaTeX document and rebuild the ‘*Index*’ buffer. When `reftex-enable-partial-scans` is non-nil, rescan only the file this location is defined in, not the entire document.
- C-u r* Reparsing the *entire* LaTeX document and rebuild the ‘*Index*’ buffer.
- s* Switch to a different index (for documents with multiple indices).

5.4 Builtin Index Macros

RefTeX by default recognizes the `\index` and `\glossary` macros which are defined in the LaTeX core. It has also builtin support for the re-implementations of `\index` in the ‘multind’ and ‘index’ packages. However, since the different definitions of the `\index` macro are incompatible, you will have to explicitly specify the index style used. See Section 5.1 [Creating Index Entries], page 21, for information on how to do that.

5.5 Defining Index Macros

When writing a document with an index you will probably define additional macros which make entries into the index. Let’s look at an example.

```
\newcommand{\ix}[1]{#1\index{#1}}
\newcommand{\nindex}[1]{\textit{#1}\index[name]{#1}}
\newcommand{\astobj}[1]{\index{Astronomical Objects!#1}}
```

The first macro `\ix` typesets its argument in the text and places it into the index. The second macro `\nindex` typesets its argument in the text and places it into a separate index with the tag ‘name’⁴. The last macro also places its argument into the index, but as subitems under the main index entry ‘Astronomical Objects’. Here is how to make **RefTeX** recognize and correctly interpret these macros, first with Emacs Lisp.

```
(setq reftex-index-macros
  '(("\\ix{*}" "idx" ?x "" nil nil)
    ("\\nindex{*}" "name" ?n "" nil nil)
    ("\\astobj{*}" "idx" ?o "Astronomical Objects!" nil t)))
```

Note that the index tag is ‘idx’ for the main index, and ‘name’ for the name index. ‘idx’ and ‘glo’ are reserved for the default index and for the glossary.

The character arguments `?x`, `?n`, and `?o` are for quick identification of these macros when **RefTeX** inserts new index entries with `reftex-index`. These codes need to be unique. `?i`, `?I`, and `?g` are reserved for the `\index`, `\index*`, and `\glossary` macros, respectively.

⁴ We are using the syntax of the ‘index’ package here.

The following string is empty unless your macro adds a superordinate entry to the index key - this is the case for the `\astobj` macro.

The next entry can be a hook function to exclude certain matches, it almost always can be `nil`.

The final element in the list indicates if the text being indexed needs to be repeated outside the macro. For the normal index macros, this should be `t`. Only if the macro typesets the entry in the text (like `\ix` and `\nindex` in the example do), this should be `nil`.

To do the same thing with `customize`, you need to fill in the templates like this:

```
Repeat:
[INS] [DEL] List:
      Macro with args: \ix{*}
      Index Tag       : [Value Menu] String: idx
      Access Key      : x
      Key Prefix      :
      Exclusion hook   : nil
      Repeat Outside  : [Toggle] off (nil)
[INS] [DEL] List:
      Macro with args: \nindex{*}
      Index Tag       : [Value Menu] String: name
      Access Key      : n
      Key Prefix      :
      Exclusion hook   : nil
      Repeat Outside  : [Toggle] off (nil)
[INS] [DEL] List:
      Macro with args: \astobj{*}
      Index Tag       : [Value Menu] String: idx
      Access Key      : o
      Key Prefix      : Astronomical Objects!
      Exclusion hook   : nil
      Repeat Outside  : [Toggle] on (non-nil)
[INS]
```

With the macro `\ix` defined, you may want to change the default macro used for indexing a text phrase (see Section 5.1 [Creating Index Entries], page 21). This would be done like this

```
(setq reftex-index-default-macro '(?x "idx"))
```

which specifies that the macro identified with the character `?x` (the `\ix` macro) should be used for indexing phrases and words already in the buffer with `C-c /` (`reftex-index-selection-or-word`). The index tag is `"idx"`.

6 Viewing Cross-References

RefTeX can display cross-referencing information. This means, if two document locations are linked, **RefTeX** can display the matching location(s) in another window. The `\label` and `\ref` macros are one way of establishing such a link. Also, a `\cite` macro is linked to the corresponding `\bibitem` macro or a BibTeX database entry.

The feature is invoked by pressing `C-c & (reftex-view-crossref)` while point is on the key argument of a macro involved in cross-referencing. You can also click with `S-mouse-2` on the macro argument. Here is what will happen for individual classes of macros:

| | |
|-----------------------|---|
| <code>\ref</code> | Display the corresponding label definition. All usual variants ¹ of the <code>\ref</code> macro are active for cross-reference display. This works also for labels defined in an external document when the current document refers to them through the <code>xr</code> interface (see Section 3.6 [xr (LaTeX package)], page 16). |
| <code>\label</code> | Display a document location which references this label. Pressing <code>C-c &</code> several times moves through the entire document and finds all locations. Not only the <code>\label</code> macro but also other macros with label arguments (as configured with <code>reftex-label-alist</code>) are active for cross-reference display. |
| <code>\cite</code> | Display the corresponding BibTeX database entry or <code>\bibitem</code> . All usual variants ² of the <code>\cite</code> macro are active for cross-reference display. |
| <code>\bibitem</code> | Display a document location which cites this article. Pressing <code>C-c &</code> several times moves through the entire document and finds all locations. |
| BibTeX | <code>C-c &</code> is also active in BibTeX buffers. All locations in a document where the database entry at point is cited will be displayed. On first use, RefTeX will prompt for a buffer which belongs to the document you want to search. Subsequent calls will use the same document, until you break this link with a prefix argument to <code>C-c &</code> . |
| <code>\index</code> | Display other locations in the document which are marked by an index macro with the same key argument. Along with the standard <code>\index</code> and <code>\glossary</code> macros, all macros configured in <code>reftex-index-macros</code> will be recognized. |

While the display of cross referencing information for the above mentioned macros is hard-coded, you can configure additional relations in the variable `reftex-view-crossref-extra`.

¹ all macros that start with ‘`ref`’ or end with ‘`ref`’ or ‘`refrange`’

² all macros that either start or end with ‘`cite`’

7 All the Rest

7.1 RefTeX's Menu

RefTeX installs a **Ref** menu in the menu bar on systems which support this. From this menu you can access all of **RefTeX**'s commands and a few of its options. There is also a **Customize** submenu which can be used to access **RefTeX**'s entire set of options.

7.2 Default Key Bindings

Here is a summary of the available key bindings.

```

C-c =      reftex-toc
C-c (      reftex-label
C-c )      reftex-reference
C-c [      reftex-citation
C-c &      reftex-view-crossref
S-mouse-2 reftex-mouse-view-crossref
C-c /      reftex-index-selection-or-word
C-c \      reftex-index-phrase-selection-or-word
C-c |      reftex-index-visit-phrases-buffer
C-c <      reftex-index
C-c >      reftex-display-index

```

Note that the *S-mouse-2* binding is only provided if this key is not already used by some other package. **RefTeX** will not override an existing binding to *S-mouse-2*.

Personally, I also bind some functions in the users *C-c* map for easier access.

```

C-c t      reftex-toc
C-c l      reftex-label
C-c r      reftex-reference
C-c c      reftex-citation
C-c v      reftex-view-crossref
C-c s      reftex-search-document
C-c g      reftex-grep-document

```

These keys are reserved for the user, so I cannot bind them by default. If you want to have these key bindings available, set in your `.emacs` file:

```
(setq reftex-extra-bindings t)
```

Changing and adding to **RefTeX**'s key bindings is best done in the hook `reftex-load-hook`. For information on the keymaps which should be used to add keys, see Section 9.12 [Keymaps and Hooks], page 63.

7.3 Faces

RefTeX uses faces when available to structure the selection and table of contents buffers. It does not create its own faces, but uses the ones defined in `font-lock.el`. Therefore, **RefTeX** will use faces only when `font-lock` is loaded. This seems to be reasonable because people who like faces will very likely have it loaded. If you wish to turn off fontification or change the involved faces, see Section 9.10 [Options (Fontification)], page 60.

7.4 Multifile Documents

The following is relevant when working with documents spread over many files:

- **RefTeX** has full support for multifile documents. You can edit parts of several (multifile) documents at the same time without conflicts. **RefTeX** provides functions to run `grep`, `search` and `query-replace` on all files which are part of a multifile document.
- All files belonging to a multifile document should define a File Variable (`TeX-master` for AUCTeX or `tex-main-file` for the standard Emacs LaTeX mode) containing the name of the master file. For example, to set the file variable `TeX-master`, include something like the following at the end of each TeX file:

```
%%% Local Variables: ***
%%% mode:latex ***
%%% TeX-master: "thesis.tex" ***
%%% End: ***
```

AUCTeX with the setting

```
(setq-default TeX-master nil)
```

will actually ask you for each new file about the master file and insert this comment automatically. For more details see the documentation of the AUCTeX (see section “Multifile” in *The AUC TeX User Manual*), the documentation about the Emacs (La)TeX mode (see section “TeX Print” in *The GNU Emacs Manual*) and the Emacs documentation on File Variables (see section “File Variables” in *The GNU Emacs Manual*).

- The context of a label definition must be found in the same file as the label itself in order to be processed correctly by **RefTeX**. The only exception is that section labels referring to a section statement outside the current file can still use that section title as context.

7.5 Language Support

Some parts of **RefTeX** are language dependent. The default settings work well for English. If you are writing in a different language, the following hints may be useful:

- The mechanism to derive a label from context includes the abbreviation of words and omission of unimportant words. These mechanisms may have to be changed for other languages. See the variables `reftex-derive-label-parameters` and `reftex-abbrev-parameters`.
- Also, when a label is derived from context, **RefTeX** clears the context string from non-ASCII characters in order to make a legal label. If there should ever be a version of TeX which allows extended characters *in labels*, then we will have to look at the variables `reftex-translate-to-ascii-function` and `reftex-label-illegal-re`.
- When a label is referenced, **RefTeX** looks at the word before point to guess which label type is required. These *magic words* are different in every language. For an example of how to add magic words, see Section 3.4.4 [Adding Magic Words], page 14.
- **RefTeX** inserts “punctuation” for multiple references and for the author list in citations. Some of this may be language dependent. See the variables `reftex-multiref-punctuation` and `reftex-cite-punctuation`.

7.6 Finding Files

In order to find files included in a document via `\input` or `\include`, **RefTeX** searches all directories specified in the environment variable `TEXINPUTS`. Similarly, it will search the path specified in the variables `BIBINPUTS` and `TEXBIB` for BibTeX database files.

When searching, **RefTeX** will also expand recursive path definitions (directories ending in `/'` or `/'!`). But it will only search and expand directories *explicitly* given in these variables. This may cause problems under the following circumstances:

- Most TeX systems have a default search path for both TeX files and BibTeX files which is defined in some setup file. Usually this default path is for system files which **RefTeX** does not need to see. But if your document needs TeX files or BibTeX database files in a directory only given in the default search path, **RefTeX** will fail to find them.
- Some TeX systems do not use environment variables at all in order to specify the search path. Both default and user search path are then defined in setup files.

There are three ways to solve this problem:

- Specify all relevant directories explicitly in the environment variables. If for some reason you don't want to mess with the default variables `TEXINPUTS` and `BIBINPUTS`, define your own variables and configure **RefTeX** to use them instead:

```
(setq refTeX-texpath-environment-variables '("MYTEXINPUTS"))
(setq refTeX-bibpath-environment-variables '("MYBIBINPUTS"))
```

- Specify the full search path directly in **RefTeX**'s variables.

```
(setq refTeX-texpath-environment-variables
      '("./inp:/home/cd/tex//:/usr/local/tex//"))
(setq refTeX-bibpath-environment-variables
      '("/home/cd/tex/lit/"))
```

- Some TeX systems provide stand-alone programs to do the file search just like TeX and BibTeX. E.g. Thomas Esser's `teTeX` uses the `kpathsearch` library which provides the command `kpsewhich` to search for files. **RefTeX** can be configured to use this program. Note that the exact syntax of the `kpsewhich` command depends upon the version of that program.

```
(setq refTeX-use-external-file-finders t)
(setq refTeX-external-file-finders
      (('("tex" . "kpsewhich -format=.tex %f")
        ("bib" . "kpsewhich -format=.bib %f"))))
```

7.7 Optimizations

Implementing the principle of least surprises, the default settings of **RefTeX** ensure a safe ride for beginners and casual users. However, when using **RefTeX** for a large project and/or on a small computer, there are ways to improve speed or memory usage.

- **Removing Lookup Buffers**

RefTeX will load other parts of a multifile document as well as BibTeX database files for lookup purposes. These buffers are kept, so that subsequent use of the same files is fast. If you can't afford keeping these buffers around, and if you can live with a speed penalty, try

```
(setq reftex-keep-temporary-buffers nil)
```

- **Partial Document Scans**

A *C-u* prefix on the major **RefTeX** commands `reftex-label` (*C-u C-c* `()`), `reftex-reference` (*C-u C-c* `()`), `reftex-citation` (*C-u C-c* `[]`), `reftex-toc` (*C-u C-c* `=`), and `reftex-view-crossref` (*C-u C-c* `&`) initiates re-parsing of the entire document in order to update the parsing information. For a large document this can be unnecessary, in particular if only one file has changed. **RefTeX** can be configured to do partial scans instead of full ones. *C-u* re-parsing then does apply only to the current buffer and files included from it. Likewise, the *r* key in both the label selection buffer and the table-of-contents buffer will only prompt scanning of the file in which the label or section macro near the cursor was defined. Re-parsing of the entire document is still available by using *C-u C-u* as a prefix, or the capital *R* key in the menus. To use this feature, try

```
(setq reftex-enable-partial-scans t)
```

- **Saving Parser Information**

Even with partial scans enabled, **RefTeX** still has to make one full scan, when you start working with a document. To avoid this, parsing information can be stored in a file. The file ‘MASTER.rel’ is used for storing information about a document with master file ‘MASTER.tex’. It is written automatically when you kill a buffer in `reftex-mode` or when you exit Emacs. The information is restored when you begin working with a document in a new editing session. To use this feature, put into ‘.emacs’:

```
(setq reftex-save-parse-info t)
```

- **Automatic Document Scans**

At rare occasions, **RefTeX** will automatically rescan a part of the document. If this gets into your way, it can be turned off with

```
(setq reftex-allow-automatic-rescan nil)
```

RefTeX will then occasionally annotate new labels in the selection buffer, saying that their position in the label list is uncertain. A manual document scan will fix this.

- **Multiple Selection Buffers**

Normally, the selection buffer ‘*RefTeX Select*’ is re-created for every selection process. In documents with very many labels this can take several seconds. **RefTeX** provides an option to create a separate selection buffer for each label type and to keep this buffer from one selection to the next. These buffers are updated automatically only when a new label has been added in the buffers category with `reftex-label`. Updating the buffer takes as long as recreating it - so the time saving is limited to cases where no new labels of that category have been added. To turn on this feature, use

```
(setq reftex-use-multiple-selection-buffers t)
```

You can also inhibit the automatic updating entirely. Then the selection buffer will always pop up very fast, but may not contain the most recently defined labels. You can always update the buffer by hand, with the *g* key. To get this behavior, use instead

```
(setq reftex-use-multiple-selection-buffers t
      reftex-auto-update-selection-buffers nil)
```

As a summary, here are the settings I recommend for heavy use of **RefTeX** with large documents:

```
(setq refTeX-enable-partial-scans t
      refTeX-save-parse-info t
      refTeX-use-multiple-selection-buffers t)
```

7.8 AUC_{TEX}

AUC_{TEX} is without doubt the best major mode for editing TeX and LaTeX files with Emacs (see section “Top” in *The AUC_{TEX} User Manual*). If AUC_{TEX} is not part of your Emacs distribution, you can get it¹ by ftp from the AUC_{TEX} distribution site (<http://www.sunsite.auc.dk/auctex/>).

7.8.1 The AUC_{TEX}-Ref_{TEX} Interface

Ref_{TEX} contains code to interface with AUC_{TEX}. When this interface is turned on, both packages will interact closely. Instead of using **Ref_{TEX}**’s commands directly, you can then also use them indirectly as part of the AUC_{TEX} environment². The interface is turned on with

```
(setq refTEX-plug-into-AUCTEX t)
```

If you need finer control about which parts of the interface are used and which not, read the docstring of the variable `refTEX-plug-into-AUCTEX` or customize it with *M-x customize-variable* `(RET) refTEX-plug-into-AUCTEX (RET)`.

The following list describes the individual parts of the interface.

- **AUC_{TEX} calls `refTEX-label` to insert labels**

When a new section is created with *C-c C-s*, or a new environment is inserted with *C-c C-e*, AUC_{TEX} normally prompts for a label to go with it. With the interface, `refTEX-label` is called instead. For example, if you type *C-c C-e equation* `(RET)`, AUC_{TEX} and **Ref_{TEX}** will insert

```
\begin{equation}
\label{eq:1}

\end{equation}
```

without further prompts.

Similarly, when you type *C-c C-s section* `(RET)`, **Ref_{TEX}** will offer its default label which is derived from the section title.

- **AUC_{TEX} tells **Ref_{TEX}** about new sections**

When creating a new section with *C-c C-s*, **Ref_{TEX}** will not have to rescan the buffer in order to see it.

- **Ref_{TEX} supplies macro arguments**

When you insert a macro interactively with *C-c* `(RET)`, AUC_{TEX} normally prompts for macro arguments. Internally, it uses the functions `TeX-arg-label`, `TeX-arg-cite`, and `TeX-arg-index` to prompt for arguments which are labels, citation keys and index entries. The interface takes over these functions³ and supplies the macro arguments with **Ref_{TEX}**’s mechanisms. For example, when you type *C-c* `(RET) ref` `(RET)`, **Ref_{TEX}** will supply its label selection process (see Section 3.2 [Referencing Labels], page 8).

¹ XEmacs 21.x users may want to install the corresponding XEmacs package.

² **Ref_{TEX}** 4.0 and AUC_{TEX} 9.10c will be needed for all of this to work. Parts of it work also with earlier versions.

³ `fset` is used to do this, which is not reversible. However, **Ref_{TEX}** implements the old functionality when you later decide to turn off the interface.

- **RefTeX** tells AUCTeX about new labels, citation- and index keys
RefTeX will add all newly created labels to AUCTeX's completion list.

7.8.2 Style Files

Style files are Emacs Lisp files which are evaluated by AUCTeX in association with the `\documentclass` and `\usepackage` commands of a document (see Section 7.8.2 [Style Files], page 36). Support for **RefTeX** in such a style file is useful when the LaTeX style defines macros or environments connected with labels, citations, or the index. Many style files (e.g. `'amsmath.el'` or `'natbib.el'`) distributed with AUCTeX already support **RefTeX** in this way.

Before calling a **RefTeX** function, the style hook should always test for the availability of the function, so that the style file will also work for people who do not use **RefTeX**.

Additions made with style files in the way described below remain local to the current document. For example, if one package uses AMSTeX, the style file will make **RefTeX** switch over to `\eqref`, but this will not affect other documents.

A style hook may contain calls to `reftex-add-label-environments`⁴ which defines additions to `reftex-label-alist`. The argument taken by this function must have the same format as `reftex-label-alist`. The `'amsmath.el'` style file of AUCTeX for example contains the following:

```
(TeX-add-style-hook "amsmath"
  (lambda ()
    (if (fboundp 'reftex-add-label-environments)
        (reftex-add-label-environments '(AMSTeX))))))
```

while a package `myprop` defining a proposition environment with `\newtheorem` might use

```
(TeX-add-style-hook "myprop"
  (lambda ()
    (LaTeX-add-environments '("proposition" LaTeX-env-label))
    (if (fboundp 'reftex-add-label-environments)
        (reftex-add-label-environments
          '(("proposition" ?p "prop:" "~\\ref{%s}" t
            ("Proposition" "Prop.") -3))))))
```

Similarly, a style hook may contain a call to `reftex-set-cite-format` to set the citation format. The style file `'natbib.el'` for the Natbib citation style does switch **RefTeX**'s citation format like this:

```
(TeX-add-style-hook "natbib"
  (lambda ()
    (if (fboundp 'reftex-set-cite-format)
        (reftex-set-cite-format 'natbib))))
```

The hook may contain a call to `reftex-add-index-macros` to define additional `\index`-like macros. The argument must have the same format as `reftex-index-macros`. It may be a symbol, to trigger support for one of the builtin index packages. For example, the style `'multind.el'` contains

⁴ This used to be the function `reftex-add-to-label-alist` which is still available as an alias for compatibility.

```
(TeX-add-style-hook "multind"
  (lambda ()
    (and (fboundp 'reftex-add-index-macros)
         (reftex-add-index-macros '(multind))))))
```

If you have your own package ‘myindex’ which defines the following macros to be used with the LaTeX ‘index.sty’ file

```
\newcommand{\molec}[1]{#1\index{Molecules!#1}}
\newcommand{\aindex}[1]{#1\index[author]{#1}}
```

you could write this in the style file ‘myindex.el’:

```
(TeX-add-style-hook "myindex"
  (lambda ()
    (TeX-add-symbols
     '("molec" TeX-arg-index)
     '("aindex" TeX-arg-index))
    (if (fboundp 'reftex-add-index-macros)
        (reftex-add-index-macros
         '(("molec{*}" "idx" ?m "Molecules!" nil nil)
           ("aindex{*}" "author" ?a "" nil nil)))))
```

Finally the hook may contain a call to `reftex-add-section-levels` to define additional section statements. For example, the FoilTeX class has just two headers, `\foilhead` and `\rotatefoilhead`. Here is a style file ‘foils.el’ that will inform **RefTeX** about these:

```
(TeX-add-style-hook "foils"
  (lambda ()
    (if (fboundp 'reftex-add-section-levels)
        (reftex-add-section-levels '(("foilhead" . 3)
                                      ("rotatefoilhead" . 3)))))
```

7.8.3 Bib-Cite

Once you have written a document with labels, references and citations, it can be nice to read it like a hypertext document. **RefTeX** has support for that: `reftex-view-crossref` (bound to *C-c &*), `reftex-mouse-view-crossref` (bound to *S-mouse-2*), and `reftex-search-document`. A somewhat fancier interface with mouse highlighting is provided (among other things) by Peter S. Galbraith’s ‘bib-cite.el’. There is some overlap in the functionalities of Bib-cite and **RefTeX**. Bib-cite.el comes bundled with AUCTeX.

Bib-cite version 3.06 and later can be configured so that bib-cite’s mouse functions use **RefTeX** for displaying references and citations. This can be useful in particular when working with the LaTeX `xr` package or with an explicit `thebibliography` environment (rather than BibTeX). Bib-cite cannot handle those, but **RefTeX** does. To make use of this feature, try

```
(setq bib-cite-use-reftex-view-crossref t)
```

7.9 Problems and Work-arounds

- **LaTeX commands**
`\input`, `\include`, `\bibliography` and `\section` (etc.) statements have to be first on a line (except for white space).
- **Commented regions**
RefTeX sees also labels in regions commented out and will refuse to make duplicates of such labels. This is considered to be a feature.
- **Wrong section numbers**
 When using partial scans (`reftex-enable-partial-scans`), the section numbers in the table of contents may eventually become wrong. A full scan will fix this.
- **Local settings**
 The label environment definitions in `reftex-label-alist` are global and apply to all documents. If you need to make definitions local to a document, because they would interfere with settings in other documents, you should use AUCTeX and set up style files with calls to `reftex-add-label-environments`, `reftex-set-cite-format`, `reftex-add-index-macros`, and `reftex-add-section-levels`. Settings made with these functions remain local to the current document. See Section 7.8 [AUCTeX], page 35.
- **Funny display in selection buffer**
 When using packages which make the buffer representation of a file different from its disk representation (e.g. `x-symbol`, `isotex`, `iso-cvt`) you may find that **RefTeX**'s parsing information sometimes reflects the disk state of a file. This happens only in *unvisited* parts of a multifile document, because **RefTeX** visits these files literally for speed reasons. Then both short context and section headings may look different from what you usually see on your screen. In rare cases `reftex-toc` may have problems to jump to an affected section heading. There are three possible ways to deal with this:
 - `(setq reftex-keep-temporary-buffers t)`
 This implies that **RefTeX** will load all parts of a multifile document into Emacs (i.e. there won't be any temporary buffers).
 - `(setq reftex-initialize-temporary-buffers t)`
 This means full initialization of temporary buffers. It involves a penalty when the same unvisited file is used for lookup often.
 - Set `reftex-initialize-temporary-buffers` to a list of hook functions doing a minimal initialization.

See also the variable `reftex-refontify-context`.

- **Labels as arguments to `\begin`**
 Some packages use an additional argument to a `\begin` macro to specify a label. E.g. Lamport's 'pf.sty' uses both

```

\step{label}{claim}    and    \begin{step+}{label}
                               claim
                               \end{step+}

```

We need to trick **RefTeX** into swallowing this:

```
;; Configuration for Lamport's pf.sty
(setq reftex-label-alist
  '(("\\step{*}{}"      ?p "st:" "~\\stepref{%s}" 2 ("Step" "St."))
    ("\\begin{step+}{*}" ?p "st:" "~\\stepref{%s}" 1000)))
```

The first line is just a normal configuration for a macro. For the `step+` environment we actually tell **ReTeX** to look for the *macro* ‘`\begin{step+}`’ and interpret the *first* argument (which really is a second argument to the macro `\begin`) as a label of type `?p`. Argument count for this macro starts only after the ‘`{step+}`’, also when specifying how to get context.

- **Idle timers in XEmacs**

In XEmacs, idle timer restart does not work reliably after fast keystrokes. Therefore **ReTeX** currently uses the post command hook to start the timer used for automatic crossref information. When this bug gets fixed, a real idle timer can be requested with

```
(setq reftex-use-itimer-in-xemacs t)
```

- **Viper mode**

With *Viper* mode prior to Vipers version 3.01, you need to protect **ReTeX**'s keymaps with

```
(viper-harness-minor-mode "reftex")
```

7.10 Imprint

RefTeX was written by *Carsten Dominik* dominik@astro.uva.nl, with contributions by *Stephen Eglen*. **RefTeX** is currently maintained by

Carsten Dominik dominik@astro.uva.nl

If you have questions about **RefTeX**, there are several Usenet groups which have competent readers: `comp.emacs`, `gnu.emacs.help`, `comp.emacs.xemacs`, `comp.text.tex`. You can also write directly to the maintainer.

If you find a bug in **RefTeX** or its documentation, or if you want to contribute code or ideas, please contact the maintainer (<mailto:dominik@astro.uva.nl>). Remember to provide all necessary information such as version numbers of Emacs and **RefTeX**, and the relevant part of your configuration in `.emacs`. When reporting a bug which throws an exception, please include a backtrace if you know how to produce one.

RefTeX is bundled and pre-installed with Emacs since version 20.2. It was also bundled and pre-installed with XEmacs 19.16–20.x. XEmacs 21.x users want to install the corresponding plugin package which is available from the XEmacs `ftp` site. See the XEmacs 21.x documentation on package installation for details.

Users of earlier Emacs distributions (including Emacs 19) can get a **RefTeX** distribution from the maintainers webpage (<http://www.strw.leidenuniv.nl/~dominik/Tools/>). Note that the Emacs 19 version supports many but not all features described in this manual.

Thanks to the people on the Net who have used **RefTeX** and helped developing it with their reports. In particular thanks to *Fran Burstall*, *Alastair Burt*, *Soren Dayton*, *Stephen Eglen*, *Karl Eichwalder*, *Erik Frik*, *Peter Galbraith*, *Kai Grossjohann*, *Frank Harrell*, *Dieter Kraft*, *Adrian Lanz*, *Rory Molinari*, *Stefan Monnier*, *Laurent Mugnier*, *Sudeep Kumar Palat*, *Daniel Polani*, *Robin Socha*, *Richard Stanton*, *Allan Strand*, *Jan Vroonhof*, *Christoph Wedler*, *Alan Williams*.

The `view-crossref` feature was inspired by *Peter Galbraith's* `'bib-cite.el'`.

Finally thanks to *Uwe Bolick* who first got me (some years ago) into supporting LaTeX labels and references with an editor (which was MicroEmacs at the time).

8 Commands

Here is a summary of **RefTeX**'s commands which can be executed from LaTeX files. Command which are executed from the special buffers are not described here. All commands are available from the Ref menu. See Section 7.2 [Key Bindings], page 30.

reftex-toc Command
 Show the table of contents for the current document. When called with one or two *C-u* prefixes, rescan the document first.

reftex-label Command
 Insert a unique label. With one or two *C-u* prefixes, enforce document rescan first.

reftex-reference Command
 Start a selection process to select a label, and insert a reference to it. With one or two *C-u* prefixes, enforce document rescan first.

reftex-citation Command
 Make a citation using BibTeX database files. After prompting for a regular expression, scans the buffers with BibTeX entries (taken from the `\bibliography` command or a `thebibliography` environment) and offers the matching entries for selection. The selected entry is formatted according to `reftex-cite-format` and inserted into the buffer.
 When called with one or two *C-u* prefixes, first rescans the document. When called with a numeric prefix, make that many citations. When called with point inside the braces of a `\cite` command, it will add another key, ignoring the value of `reftex-cite-format`.
 The regular expression uses an expanded syntax: `'&&'` is interpreted as `and`. Thus, `'aaaa&&bbb'` matches entries which contain both `'aaaa'` and `'bbb'`. While entering the regexp, completion on knows citation keys is possible. `'=` is a good regular expression to match all entries in all files.

reftex-index Command
 Query for an index macro and insert it along with its arguments. The index macros available are those defined in `reftex-index-macro` or by a call to `reftex-add-index-macros`, typically from an AUCTeX style file. **RefTeX** provides completion for the index tag and the index key, and will prompt for other arguments.

reftex-index-selection-or-word Command
 Put current selection or the word near point into the default index macro. This uses the information in `reftex-index-default-macro` to make an index entry. The phrase indexed is the current selection or the word near point. When called with one *C-u* prefix, let the user have a chance to edit the index entry. When called with 2 *C-u* as prefix, also ask for the index macro and other stuff. When called inside TeX math mode as determined by the `'texmathp.el'` library which is part of AUCTeX, the string is first processed with the `reftex-index-math-format`, which see.

- reftex-index-phrase-selection-or-word** Command
 Add current selection or the word at point to the phrases buffer. When you are in transient-mark-mode and the region is active, the selection will be used - otherwise the word at point. You get a chance to edit the entry in the phrases buffer - to save the buffer and return to the LaTeX document, finish with `C-c C-c`.
- reftex-index-visit-phrases-buffer** Command
 Switch to the phrases buffer, initialize if empty.
- reftex-index-phrases-apply-to-region** Command
 Index all index phrases in the current region. This works exactly like global indexing from the index phrases buffer, but operation is restricted to the current region.
- reftex-display-index** Command
 Display a buffer with an index compiled from the current document. When the document has multiple indices, first prompts for the correct one. When index support is turned off, offer to turn it on. With one or two `C-u` prefixes, rescan document first. With prefix 2, restrict index to current document section. With prefix 3, restrict index to active region.
- reftex-view-crossref** Command
 View cross reference of macro at point. Point must be on the *key* argument. Works with the macros `\label`, `\ref`, `\cite`, `\bibitem`, `\index` and many derivatives of these. Where it makes sense, subsequent calls show additional locations. See also the variable `reftex-view-crossref-extra` and the command `reftex-view-crossref-from-bibtex`. With one or two `C-u` prefixes, enforce rescanning of the document. With argument 2, select the window showing the cross reference.
- reftex-view-crossref-from-bibtex** Command
 View location in a LaTeX document which cites the BibTeX entry at point. Since BibTeX files can be used by many LaTeX documents, this function prompts upon first use for a buffer in **ReTeX** mode. To reset this link to a document, call the function with with a prefix arg. Calling this function several times find successive citation locations.
- reftex-create-tags-file** Command
 Create TAGS file by running `etags` on the current document. The TAGS file is also immediately visited with `visit-tags-table`.
- reftex-grep-document** Command
 Run grep query through all files related to this document. With prefix arg, force to rescan document. No active TAGS table is required.
- reftex-search-document** Command
 Regexp search through all files of the current document. Starts always in the master file. Stops when a match is found. No active TAGS table is required.

- reftex-query-replace-document** Command
Run a query-replace-regexp of *from* with *to* over the entire document. With prefix arg, replace only word-delimited matches. No active TAGS table is required.
- reftex-change-label** Command
Query replace *from* with *to* in all `\label` and `\ref` commands. Works on the entire multifile document. No active TAGS table is required.
- reftex-renumber-simple-labels** Command
Renumber all simple labels in the document to make them sequentially. Simple labels are the ones created by RefTeX, consisting only of the prefix and a number. After the command completes, all these labels will have sequential numbers throughout the document. Any references to the labels will be changed as well. For this, **RefTeX** looks at the arguments of any macros which either start or end with the string ‘`ref`’. This command should be used with care, in particular in multifile documents. You should not use it if another document refers to this one with the `xr` package.
- reftex-find-duplicate-labels** Command
Produce a list of all duplicate labels in the document.
- reftex-customize** Command
Run the customize browser on the **RefTeX** group.
- reftex-show-commentary** Command
Show the commentary section from ‘`reftex.el`’.
- reftex-info** Command
Run info on the top **RefTeX** node.
- reftex-parse-document** Command
Parse the entire document in order to update the parsing information.
- reftex-reset-mode** Command
Enforce rebuilding of several internal lists and variables. Also removes the parse file associated with the current document.

9 Options, Keymaps, Hooks

Here is a complete list of **ReTeX**'s configuration variables. All variables have customize support - so if you are not familiar with Emacs Lisp (and even if you are) you might find it more comfortable to use `customize` to look at and change these variables. *M-x* `reflex-customize` will get you there.

9.1 Table of Contents

reflex-toc-max-level User Option

The maximum level of toc entries which will be included in the TOC. Section headings with a bigger level will be ignored. In RefTeX, chapters are level 1, sections level 2 etc. This variable can be changed from within the `*toc*` buffer with the `t` key.

reflex-toc-keep-other-windows User Option

Non-`nil` means, split the selected window to display the `*toc*` buffer. This helps to keep the window configuration, but makes the `*toc*` small. When `nil`, all other windows except the selected one will be deleted, so that the `*toc*` window fills half the frame.

reflex-toc-include-file-boundaries User Option

Non-`nil` means, include file boundaries in `*toc*` buffer. This flag can be toggled from within the `*toc*` buffer with the `i` key.

reflex-toc-include-labels User Option

Non-`nil` means, include labels in `*toc*` buffer. This flag can be toggled from within the `*toc*` buffer with the `l` key.

reflex-toc-include-index-entries User Option

Non-`nil` means, include index entries in `*toc*` buffer. This flag can be toggled from within the `*toc*` buffer with the `i` key.

reflex-toc-include-context User Option

Non-`nil` means, include context with labels in the `*toc*` buffer. Context will only be shown if the labels are visible as well. This flag can be toggled from within the `*toc*` buffer with the `c` key.

reflex-toc-follow-mode User Option

Non-`nil` means, point in `*toc*` buffer (the table-of-contents buffer) will cause other window to follow. The other window will show the corresponding part of the document. This flag can be toggled from within the `*toc*` buffer with the `f` key.

reflex-toc-mode-hook Normal Hook

Normal hook which is run when a `*toc*` buffer is created.

reflex-toc-map Keymap

The keymap which is active in the `*toc*` buffer. (see Chapter 2 [Table of Contents], page 4).

9.2 Defining Label Environments

reftex-default-label-alist-entries

User Option

Default label alist specifications. It is a list of symbols with associations in the constant `reftex-label-alist-builtin`. LaTeX should always be the last entry.

reftex-label-alist

User Option

Set this variable to define additions and changes to the defaults in `reftex-default-label-alist-entries`. The only things you *must not* change is that `?s` is the type indicator for section labels, and `(SPC)` for the `any` label type. These are hard-coded at other places in the code.

The value of the variable must be a list of items. Each item is a list itself and has the following structure:

```
(env-or-macro type-key label-prefix reference-format
 context-method (magic-word ... ) toc-level)
```

Each list entry describes either an environment carrying a counter for use with `\label` and `\ref`, or a LaTeX macro defining a label as (or inside) one of its arguments. The elements of each list entry are:

env-or-macro

Name of the environment (like `'table'`) or macro (like `'\myfig'`). For macros, indicate the arguments, as in `'\myfig[]{}{*}'`. Use square brackets for optional arguments, a star to mark the label argument, if any. The macro does not have to have a label argument - you could also use `'\label{...}'` inside one of its arguments.

Special names: `section` for section labels, `any` to define a group which contains all labels.

This may also be a function to do local parsing and identify point to be in a non-standard label environment. The function must take an argument *bound* and limit backward searches to this value. It should return either `nil` or a cons cell (*function . position*) with the function symbol and the position where the special environment starts. See the Info documentation for an example.

Finally this may also be `nil` if the entry is only meant to change some settings associated with the type indicator character (see below).

type-key

Type indicator character, like `?t`, must be a printable ASCII character. The type indicator is a single character which defines a label type. Any label inside the environment or macro is assumed to belong to this type. The same character may occur several times in this list, to cover cases in which different environments carry the same label type (like `equation` and `eqnarray`). If the type indicator is `nil` and the macro has a label argument `'{*}'`, the macro defines neutral labels just like `\label`. In this case the remainder of this entry is ignored.

label-prefix

Label prefix string, like ‘tab:’. The prefix is a short string used as the start of a label. It may be the empty string. The prefix may contain the following ‘%’ escapes:

```
%f Current file name, directory and extension stripped.
%F Current file name relative to master file directory.
%u User login name, on systems which support this.
%S A section prefix derived with variable reftex-section-
prefixes.
```

Example: In a file ‘intro.tex’, ‘eq:%f:’ will become ‘eq:intro:’.

reference-format

Format string for reference insert in buffer. ‘%s’ will be replaced by the label. When the format starts with ‘~’, this ‘~’ will only be inserted when the character before point is *not* a whitespace.

context-method

Indication on how to find the short context.

- If `nil`, use the text following the ‘`\label{...}`’ macro.
- If `t`, use
 - the section heading for section labels.
 - text following the ‘`\begin{...}`’ statement of environments (not a good choice for environments like `eqnarray` or `enumerate`, where one has several labels in a single environment).
 - text after the macro name (starting with the first arg) for macros.
- If an integer, use the *nth* argument of the macro. As a special case, 1000 means to get text after the last macro argument.
- If a string, use as regexp to search *backward* from the label. Context is then the text following the end of the match. E.g. putting this to ‘`\caption[[{}`’ will use the caption in a figure or table environment. ‘`\begin{eqnarray}|\|\\\|`’ works for `eqnarrays`.
- If any of `caption`, `item`, `eqnarray-like`, `alignat-like`, this symbol will internally be translated into an appropriate regexp (see also the variable `reftex-default-context-regexp`).
- If a function, call this function with the name of the environment/macro as argument. On call, point will be just after the `\label` macro. The function is expected to return a suitable context string. It should throw an exception (error) when failing to find context. As an example, here is a function returning the 10 chars following the label macro as context:

```
(defun my-context-function (env-or-mac)
  (if (> (point-max) (+ 10 (point)))
      (buffer-substring (point) (+ 10 (point)))
      (error "Buffer too small")))
```

Label context is used in two ways by **RefTeX**: For display in the label menu, and to derive a label string. If you want to use a different method for each of these, specify them as a dotted pair. E.g. `(nil . t)` uses the text after the label (`nil`) for display, and text from the default position (`t`) to derive a label string. This is actually used for section labels.

magic-word-list

List of magic words which identify a reference to be of this type. If the word before point is equal to one of these words when calling `refTeX-reference`, the label list offered will be automatically restricted to labels of the correct type. If the first element of this word-list is the symbol ‘`regexp`’, the strings are interpreted as regular expressions.

toc-level

The integer level at which this environment should be added to the table of contents. See also `refTeX-section-levels`. A positive value will number the entries mixed with the sectioning commands of the same level. A negative value will make unnumbered entries. Useful only for theorem-like environments which structure the document. Will be ignored for macros. When omitted or `nil`, no TOC entries will be made.

If the type indicator characters of two or more entries are the same, **RefTeX** will use

- the first non-`nil` format and prefix
- the magic words of all involved entries.

Any list entry may also be a symbol. If that has an association in `refTeX-label-alist-builtin`, the `cddr` of that association is spliced into the list. However, builtin defaults should normally be set with the variable `refTeX-default-label-alist-entries`.

refTeX-max-section-depth

User Option

Maximum depth of section levels in document structure. Standard LaTeX needs 7, default is 12.

refTeX-section-levels

User Option

Commands and levels used for defining sections in the document. The `car` of each cons cell is the name of the section macro. The `cdr` is a number indicating its level. A negative level means the same as the positive value, but the section will never get a number. The `cdr` may also be a function which then has to return the level.

refTeX-section-prefixes

User Option

Prefixes for section labels. When the label prefix given in an entry in `refTeX-label-alist` contains ‘`%S`’, this list is used to determine the correct prefix string depending on the current section level. The list is an alist, with each entry of the form `(key . prefix)`. Possible keys are sectioning macro names like ‘`chapter`’, integer section levels (as given in `refTeX-section-levels`), and `t` for the default.

refTeX-default-context-regexps

User Option

Alist with default regular expressions for finding context. The emacs lisp form `(format regexp (regexp-quote environment))` is used to calculate the final regular expression - so ‘`%s`’ will be replaced with the environment or macro.

9.3 Creating Labels

reftex-insert-label-flags

User Option

Flags governing label insertion. The value has the form

(*derive prompt*)

If *derive* is **t**, **ReTeX** will try to derive a sensible label from context. A section label for example will be derived from the section heading. The conversion of the context to a legal label is governed by the specifications given in **reftex-derive-label-parameters**. If *derive* is **nil**, the default label will consist of the prefix and a unique number, like ‘**eq:23**’.

If *prompt* is **t**, the user will be prompted for a label string. When *prompt* is **nil**, the default label will be inserted without query.

So the combination of *derive* and *prompt* controls label insertion. Here is a table describing all four possibilities:

derive prompt action

| <i>derive</i> | <i>prompt</i> | <i>action</i> |
|---------------|---------------|--|
| nil | nil | Insert simple label, like ‘ eq:22 ’ or ‘ sec:13 ’. No query. |
| nil | t | Prompt for label. |
| t | nil | Derive a label from context and insert. No query. |
| t | t | Derive a label from context, prompt for confirmation. |

Each flag may be set to **t**, **nil**, or a string of label type letters indicating the label types for which it should be true. Thus, the combination may be set differently for each label type. The default settings “**s**” and “**sft**” mean: Derive section labels from headings (with confirmation). Prompt for figure and table labels. Use simple labels without confirmation for everything else.

The available label types are: **s** (section), **f** (figure), **t** (table), **i** (item), **e** (equation), **n** (footnote), **N** (endnote) plus any definitions in **reftex-label-alist**.

reftex-format-label-function

Hook

If non-**nil**, should be a function which produces the string to insert as a label definition. The function will be called with two arguments, the *label* and the *default-format* (usually ‘**\label{%s}**’). It should return the string to insert into the buffer.

reftex-string-to-label-function

Hook

Function to turn an arbitrary string into a legal label. **ReTeX**’s default function uses the variable **reftex-derive-label-parameters**.

reftex-translate-to-ascii-function

Hook

Filter function which will process a context string before it is used to derive a label from it. The intended application is to convert ISO or Mule characters into something legal in labels. The default function **reftex-latin1-to-ascii** removes the accents from Latin-1 characters. X-Symbol (>=2.6) sets this variable to the much more general **x-symbol-translate-to-ascii**.

reftex-derive-label-parameters User Option

Parameters for converting a string into a label. This variable is a list of the following items:

- nwords* Number of words to use.
- maxchar* Maximum number of characters in a label string.
- illegal* **nil**: Throw away any words containing characters illegal in labels.
t: Throw away only the illegal characters, not the whole word.
- abbrev* **nil**: Never abbreviate words.
t: Always abbreviate words (see **reftex-abbrev-parameters**).
1: Abbreviate words if necessary to shorten label string.
- separator* String separating different words in the label.
- ignorewords*
 List of words which should not be part of labels.
- downcase* **t**: Downcase words before putting them into the label.

reftex-label-illegal-re User Option

Regex matching characters not legal in labels.

reftex-abbrev-parameters User Option

Parameters for abbreviation of words. A list of four parameters.

- min-chars* Minimum number of characters remaining after abbreviation.
- min-kill* Minimum number of characters to remove when abbreviating words.
- before* Character class before abbrev point in word.
- after* Character class after abbrev point in word.

9.4 Referencing Labels

reftex-label-menu-flags User Option

List of flags governing the label menu makeup. The flags are:

- table-of-contents*
 Show the labels embedded in a table of context.
- section-numbers*
 Include section numbers (like 4.1.3) in table of contents.
- counters* Show counters. This just numbers the labels in the menu.
- no-context*
 Non-**nil** means do *not* show the short context.
- follow* Follow full context in other window.

show-commented

Show labels from regions which are commented out.

match-everywhere

Obsolete flag.

show-files Show begin and end of included files.

Each of these flags can be set to `t` or `nil`, or to a string of type letters indicating the label types for which it should be true. These strings work like character classes in regular expressions. Thus, setting one of the flags to `"sf"` makes the flag true for section and figure labels, `nil` for everything else. Setting it to `"^sf"` makes it the other way round.

The available label types are: `s` (section), `f` (figure), `t` (table), `i` (item), `e` (equation), `n` (footnote), plus any definitions in `reftex-label-alist`.

Most options can also be switched from the label menu itself - so if you decide here to not have a table of contents in the label menu, you can still get one interactively during selection from the label menu.

reftex-multiref-punctuation

User Option

Punctuation strings for multiple references. When marking is used in the selection buffer to select several references, this variable associates the 3 marking characters `‘,-+’` with prefix strings to be inserted into the buffer before the corresponding `\ref` macro. This is used to string together whole reference sets, like `‘eqs. 1,2,3-5,6 and 7’` in a single call to `reftex-reference`.

reftex-vref-is-default

User Option

Non-`nil` means, the `varioref` macro `\vref` is used as default. In the selection buffer, the `v` key toggles the reference macro between `\ref` and `\vref`. The value of this variable determines the default which is active when entering the selection process. Instead of `nil` or `t`, this may also be a string of type letters indicating the label types for which it should be true.

reftex-fref-is-default

User Option

Non-`nil` means, the `fancyref` macro `\fref` is used as default. In the selection buffer, the `V` key toggles the reference macro between `\ref`, `\fref` and `\Fref`. The value of this variable determines the default which is active when entering the selection process. Instead of `nil` or `t`, this may also be a string of type letters indicating the label types for which it should be true.

reftex-format-ref-function

Hook

If non-`nil`, should be a function which produces the string to insert as a reference. Note that the insertion format can also be changed with `reftex-label-alist`. This hook also is used by the special commands to insert `\vref` and `\fref` references, so even if you set this, your setting will be ignored by the special commands. The function will be called with two arguments, the *label* and the *default-format* (usually `‘~\ref{%s}’`). It should return the string to insert into the buffer.

- reftex-level-indent** User Option
 Number of spaces to be used for indentation per section level.
- reftex-guess-label-type** User Option
 Non-`nil` means, `reftex-reference` will try to guess the label type. To do that, **RefTeX** will look at the word before the cursor and compare it with the magic words given in `reftex-label-alist`. When it finds a match, **RefTeX** will immediately offer the correct label menu - otherwise it will prompt you for a label type. If you set this variable to `nil`, **RefTeX** will always prompt for a label type.
- reftex-display-copied-context-hook** Normal Hook
 Normal Hook which is run before context is displayed anywhere. Designed for `X-Symbol`, but may have other uses as well.
- reftex-pre-refontification-functions** Hook
`X-Symbol` specific hook. Probably not useful for other purposes. The functions get two arguments, the buffer from where the command started and a symbol indicating in what context the hook is called.
- reftex-select-label-mode-hook** Normal Hook
 Normal hook which is run when a selection buffer enters `reftex-select-label-mode`.
- reftex-select-label-map** Keymap
 The keymap which is active in the labels selection process (see Section 3.2 [Referencing Labels], page 8).

9.5 Creating Citations

- reftex-bibfile-ignore-regexps** User Option
 List of regular expressions to exclude files in `\\bibliography{..}`. File names matched by any of these regexps will not be parsed. Intended for files which contain only `@string` macro definitions and the like, which are ignored by **RefTeX** anyway.
- reftex-default-bibliography** User Option
 List of BibTeX database files which should be used if none are specified. When `reftex-citation` is called from a document with neither a `'\bibliography{...}'` statement nor a `thebibliography` environment, **RefTeX** will scan these files instead. Intended for using `reftex-citation` in non-LaTeX files. The files will be searched along the `BIBINPUTS` or `TEXBIB` path.
- reftex-sort-bibtex-matches** User Option
 Sorting of the entries found in BibTeX databases by `reftex-citation`. Possible values:
- | | |
|---------------------------|----------------------------------|
| <code>nil</code> | Do not sort entries. |
| <code>author</code> | Sort entries by author name. |
| <code>year</code> | Sort entries by increasing year. |
| <code>reverse-year</code> | Sort entries by decreasing year. |

reftex-cite-format

User Option

The format of citations to be inserted into the buffer. It can be a string, an alist or a symbol. In the simplest case this is just the string ‘`\cite{%l}`’, which is also the default. See the definition of `reftex-cite-format-builtin` for more complex examples.

If `reftex-cite-format` is a string, it will be used as the format. In the format, the following percent escapes will be expanded.

- `%l` The BibTeX label of the citation.
- `%a` List of author names, see also `reftex-cite-punctuation`.
- `%2a` Like `%a`, but abbreviate more than 2 authors like Jones et al.
- `%A` First author name only.
- `%e` Works like ‘`%a`’, but on list of editor names. (‘`%2e`’ and ‘`%E`’ work a well).

It is also possible to access all other BibTeX database fields:

| | | | |
|--|------------------------------|------------------------------------|------------------------------|
| <code>%b</code> booktitle | <code>%c</code> chapter | <code>%d</code> edition | <code>%h</code> howpublished |
| <code>%i</code> institution | <code>%j</code> journal | <code>%k</code> key | <code>%m</code> month |
| <code>%n</code> number | <code>%o</code> organization | <code>%p</code> pages | <code>%P</code> first page |
| <code>%r</code> address | <code>%s</code> school | <code>%u</code> publisher | <code>%t</code> title |
| <code>%v</code> volume | <code>%y</code> year | | |
| <code>%B</code> booktitle, abbreviated | | <code>%T</code> title, abbreviated | |

Usually, only ‘`%l`’ is needed. The other stuff is mainly for the echo area display, and for `(setq reftex-comment-citations t)`.

‘`%<`’ as a special operator kills punctuation and space around it after the string has been formatted.

Beware that all this only works with BibTeX database files. When citations are made from the `\bibitems` in an explicit `thebibliography` environment, only ‘`%l`’ is available.

If `reftex-cite-format` is an alist of characters and strings, the user will be prompted for a character to select one of the possible format strings.

In order to configure this variable, you can either set `reftex-cite-format` directly yourself or set it to the *symbol* of one of the predefined styles. The predefined symbols are those which have an association in the constant `reftex-cite-format-builtin`) E.g.: `(setq reftex-cite-format 'natbib)`.

reftex-format-cite-function

Hook

If non-`nil`, should be a function which produces the string to insert as a citation. Note that the citation format can also be changed with the variable `reftex-cite-format`. The function will be called with two arguments, the *citation-key* and the *default-format* (taken from `reftex-cite-format`). It should return the string to insert into the buffer.

reftex-comment-citations

User Option

Non-`nil` means add a comment for each citation describing the full entry. The comment is formatted according to `reftex-cite-comment-format`.

reftex-cite-comment-format User Option
 Citation format used for commented citations. Must *not* contain ‘%1’. See the variable `reftex-cite-format` for possible percent escapes.

reftex-cite-punctuation User Option
 Punctuation for formatting of name lists in citations. This is a list of 3 strings.

1. normal names separator, like ‘, ’ in Jones, Brown and Miller
2. final names separator, like ‘ and ’ in Jones, Brown and Miller
3. The ‘et al.’ string, like ‘{\it et al.}’ in Jones {\it et al.}

reftex-select-bib-mode-hook Normal Hook
 Normal hook which is run when a selection buffer enters `reftex-select-bib-mode`.

reftex-select-bib-map Keymap
 The keymap which is active in the citation-key selection process (see Section 4.1 [Creating Citations], page 18).

9.6 Index Support

reftex-support-index User Option
 Non-`nil` means, index entries are parsed as well. Index support is resource intensive and the internal structure holding the parsed information can become quite big. Therefore it can be turned off. When this is `nil` and you execute a command which requires index support, you will be asked for confirmation to turn it on and rescan the document.

reftex-index-special-chars User Option
 List of special characters in index entries, given as strings. These correspond to the `MakeIndex` keywords (*level encap actual quote escape*).

reftex-index-macros User Option
 List of macros which define index entries. The structure of each entry is
 (*macro index-tag key prefix exclude repeat*)
macro is the macro. Arguments should be denoted by empty braces, as for example in ‘\index[]{*}’. Use square brackets to denote optional arguments. The star marks where the index key is.
index-tag is a short name of the index. ‘idx’ and ‘glo’ are reserved for the default index and the glossary. Other indices can be defined as well. If this is an integer, the Nth argument of the macro holds the index tag.
key is a character which is used to identify the macro for input with `reftex-index`. ‘?i’, ‘?I’, and ‘?g’ are reserved for default index and glossary.
prefix can be a prefix which is added to the *key* part of the index entry. If you have a macro `\newcommand{\molec}[1]{#1\index{Molecules!#1}}`, this prefix should be ‘Molecules!’.

exclude can be a function. If this function exists and returns a non-nil value, the index entry at point is ignored. This was implemented to support the (deprecated) ‘^’ and ‘_’ shortcuts in the LaTeX2e `index` package.

repeat, if non-nil, means the index macro does not typeset the entry in the text, so that the text has to be repeated outside the index macro. Needed for `reftex-index-selection-or-word` and for indexing from the phrase buffer.

The final entry may also be a symbol. It must have an association in the variable `reftex-index-macros-builtin` to specify the main indexing package you are using. Legal values are currently

| | |
|-----------------------------|--|
| <code>default</code> | The LaTeX default - unnecessary to specify this one |
| <code>multind</code> | The <code>multind.sty</code> package |
| <code>index</code> | The <code>index.sty</code> package |
| <code>index-shortcut</code> | The <code>index.sty</code> packages with the ^ and _ shortcuts. Should not be used - only for old documents |

Note that AUCTeX sets these things internally for **RefTeX** as well, so with a sufficiently new version of AUCTeX, you should not set the package here.

reftex-index-default-macro User Option

The default index macro for `reftex-index-selection-or-word`. This is a list with (*macro-key default-tag*).

macro-key is a character identifying an index macro - see `reftex-index-macros`.

default-tag is the tag to be used if the macro requires a *tag* argument. When this is nil and a *tag* is needed, **RefTeX** will ask for it. When this is the empty string and the TAG argument of the index macro is optional, the TAG argument will be omitted.

reftex-index-default-tag User Option

Default index tag. When working with multiple indexes, RefTeX queries for an index tag when creating index entries or displaying a specific index. This variable controls the default offered for these queries. The default can be selected with `(RET)` during selection or completion. Legal values of this variable are:

| | |
|--------------------|---|
| <code>nil</code> | Do not provide a default index |
| <code>"tag"</code> | The default index tag given as a string, e.g. "idx" |
| <code>last</code> | The last used index tag will be offered as default |

reftex-index-math-format User Option

Format of index entries when copied from inside math mode. When `reftex-index-selection-or-word` is executed inside TeX math mode, the index key copied from the buffer is processed with this format string through the `format` function. This can be used to add the math delimiters (e.g. ‘\$’) to the string. Requires the ‘`texmathp.el`’ library which is part of AUCTeX.

reftex-index-phrase-file-extension User Option

File extension for the index phrase file. This extension will be added to the base name of the master file.

reftex-index-phrases-logical-and-regexp User Option

Regex matching the ‘and’ operator for index arguments in phrases file. When several index arguments in a phrase line are separated by this operator, each part will generate an index macro. So each match of the search phrase will produce *several* different index entries. Make sure this does not match things which are not separators. This logical ‘and’ has higher priority than the logical ‘or’ specified in `reftex-index-phrases-logical-or-regexp`.

reftex-index-phrases-logical-or-regexp User Option

Regex matching the ‘or’ operator for index arguments in phrases file. When several index arguments in a phrase line are separated by this operator, the user will be asked to select one of them at each match of the search phrase. The first index arg will be the default. A number key `1–9` must be pressed to switch to another. Make sure this does not match things which are not separators. The logical ‘and’ specified in `reftex-index-phrases-logical-or-regexp` has higher priority than this logical ‘or’.

reftex-index-phrases-search-whole-words User Option

Non-`nil` means phrases search will look for whole words, not subwords. This works by requiring word boundaries at the beginning and end of the search string. When the search phrase already has a non-word-char at one of these points, no word boundary is required there.

reftex-index-phrases-case-fold-search User Option

Non-`nil` means, searching for index phrases will ignore case.

reftex-index-phrases-skip-indexed-matches User Option

Non-`nil` means, skip matches which appear to be indexed already. When doing global indexing from the phrases buffer, searches for some phrases may match at places where that phrase was already indexed. In particular when indexing an already processed document again, this will even be the norm. When this variable is non-`nil`, **ReTeX** checks if the match is an index macro argument, or if an index macro is directly before or after the phrase. If that is the case, that match will be ignored.

reftex-index-phrases-wrap-long-lines User Option

Non-`nil` means, when indexing from the phrases buffer, wrap lines. Inserting indexing commands in a line makes the line longer - often so long that it does not fit onto the screen. When this variable is non-`nil`, newlines will be added as necessary before and/or after the indexing command to keep lines short. However, the matched text phrase and its index command will always end up on a single line.

reftex-index-phrases-sort-prefs-entry User Option

Non-`nil` means when sorting phrase lines, the explicit index entry is used. Phrase lines in the phrases buffer contain a search phrase, and sorting is normally based on these. Some phrase lines also have an explicit index argument specified. When this variable is non-`nil`, the index argument will be used for sorting.

reftex-index-phrases-sort-in-blocks User Option
 Non-`nil` means, empty and comment lines separate phrase buffer into blocks. Sorting will then preserve blocks, so that lines are re-arranged only within blocks.

reftex-index-phrases-map User Option
 Keymap for the Index Phrases buffer.

reftex-index-phrases-mode-hook User Option
 Normal hook which is run when a buffer is put into `reftex-index-phrases-mode`.

reftex-index-section-letters User Option
 The letters which denote sections in the index. Usually these are all capital letters. Don't use any downcase letters. Order is not significant, the index will be sorted by whatever the sort function thinks is correct. In addition to these letters, **ReTeX** will create a group `'!'` which contains all entries sorted below the lowest specified letter. In the `'*Index*'` buffer, pressing any of these capital letters or `!` will jump to that section.

reftex-index-include-context User Option
 Non-`nil` means, display the index definition context in the `'*Index*'` buffer. This flag may also be toggled from the `'*Index*'` buffer with the `c` key.

reftex-index-follow-mode User Option
 Non-`nil` means, point in `'*Index*'` buffer will cause other window to follow. The other window will show the corresponding part of the document. This flag can be toggled from within the `'*Index*'` buffer with the `f` key.

reftex-index-map Keymap
 The keymap which is active in the `'*Index*'` buffer (see Chapter 5 [Index Support], page 21).

9.7 Viewing Cross-References

reftex-view-crossref-extra User Option
 Macros which can be used for the display of cross references. This is used when `'reftex-view-crossref'` is called with point in an argument of a macro. Note that crossref viewing for citations, references (both ways) and index entries is hard-coded. This variable is only to configure additional structures for which crossreference viewing can be useful. Each entry has the structure

(macro-re search-re highlight).

macro-re is matched against the macro. *search-re* is the regexp used to search for cross references. `'%s'` in this regexp is replaced with with the macro argument at point. *highlight* is an integer indicating which subgroup of the match should be highlighted.

reftex-auto-view-crossref User Option

Non-`nil` means, initially turn automatic viewing of crossref info on. Automatic viewing of crossref info normally uses the echo area. Whenever point is on the argument of a `\ref` or `\cite` macro, and no other message is being displayed, the echo area will display information about that cross reference. You can also set the variable to the symbol `window`. In this case a small temporary window is used for the display. This feature can be turned on and of from the menu (Ref->Options).

reftex-idle-time User Option

Time (secs) Emacs has to be idle before automatic crossref display is done.

reftex-cite-view-format User Option

Citation format used to display citation info in the message area. See the variable `reftex-cite-format` for possible percent escapes.

reftex-revisit-to-echo User Option

Non-`nil` means, automatic citation display will revisit files if necessary. When `nil`, citation display in echo area will only be active for cached echo strings (see `reftex-cache-cite-echo`), or for BibTeX database files which are already visited by a live associated buffers.

reftex-cache-cite-echo User Option

Non-`nil` means, the information displayed in the echo area for cite macros (see variable `reftex-auto-view-crossref`) is cached and saved along with the parsing information. The cache survives document scans. In order to clear it, use `M-x reftex-reset-mode`.

9.8 Finding Files

reftex-texpath-environment-variables User Option

List of specifications how to retrieve the search path for TeX files. Several entries are possible.

- If an element is the name of an environment variable, its content is used.
- If an element starts with an exclamation mark, it is used as a command to retrieve the path. A typical command with the `kpathsearch` library would be `!kpsewhich -show-path=.tex`.
- Otherwise the element itself is interpreted as a path.

Multiple directories can be separated by the system dependent `path-separator`. Directories ending in `/**` or `!!` will be expanded recursively. See also `reftex-use-external-file-finders`.

reftex-bibpath-environment-variables User Option

List of specifications how to retrieve the search path for BibTeX files. Several entries are possible.

- If an element is the name of an environment variable, its content is used.
- If an element starts with an exclamation mark, it is used as a command to retrieve the path. A typical command with the `kpathsearch` library would be `"!kpsewhich -show-path=.bib"`.
- Otherwise the element itself is interpreted as a path.

Multiple directories can be separated by the system dependent `path-separator`. Directories ending in `'//'` or `'!!'` will be expanded recursively. See also `reftex-use-external-file-finders`.

reftex-file-extensions

User Option

Association list with file extensions for different file types. This is a list of items, each item is like: `(type . (def-ext other-ext ...))`

- type*: File type like "bib" or "tex".
- def-ext*: The default extension for that file type, like ".tex" or ".bib".
- other-ext*: Any number of other legal extensions for this file type.

When a files is searched and it does not have any of the legal extensions, we try the default extension first, and then the naked file name.

reftex-search-unrecursed-path-first

User Option

Non-`nil` means, search all specified directories before trying recursion. Thus, in a path `'./:/tex/'`, search first `'./'`, then `'/tex/'`, and then all subdirectories of `'./'`. If this option is `nil`, the subdirectories of `'./'` are searched before `'/tex/'`. This is mainly for speed - most of the time the recursive path is for the system files and not for the user files. Set this to `nil` if the default makes **RefTeX** finding files with equal names in wrong sequence.

reftex-use-external-file-finders

User Option

Non-`nil` means, use external programs to find files. Normally, **RefTeX** searches the paths given in the environment variables `TEXINPUTS` and `BIBINPUTS` to find TeX files and BibTeX database files. With this option turned on, it calls an external program specified in the option `reftex-external-file-finders` instead. As a side effect, the variables `reftex-texpath-environment-variables` and `reftex-bibpath-environment-variables` will be ignored.

reftex-external-file-finders

User Option

Association list with external programs to call for finding files. Each entry is a cons cell `(type . program)`. *type* is either "tex" or "bib". *program* is a string containing the external program to use with any arguments. `%f` will be replaced by the name of the file to be found. Note that these commands will be executed directly, not via a shell. Only relevant when `reftex-use-external-file-finders` is non-`nil`.

9.9 Optimizations

reftex-keep-temporary-buffers

User Option

Non-`nil` means, keep buffers created for parsing and lookup. **RefTeX** sometimes needs to visit files related to the current document. We distinguish files visited for

PARSING Parts of a multifile document loaded when (re)-parsing the document.

LOOKUP BibTeX database files and TeX files loaded to find a reference, to display label context, etc.

The created buffers can be kept for later use, or be thrown away immediately after use, depending on the value of this variable:

`nil` Throw away as much as possible.

`t` Keep everything.

`1` Throw away buffers created for parsing, but keep the ones created for lookup.

If a buffer is to be kept, the file is visited normally (which is potentially slow but will happen only once). If a buffer is to be thrown away, the initialization of the buffer depends upon the variable `reftex-initialize-temporary-buffers`.

reftex-initialize-temporary-buffers

User Option

Non-`nil` means do initializations even when visiting file temporarily. When `nil`, **RefTeX** may turn off find-file hooks and other stuff to briefly visit a file. When `t`, the full default initializations are done (`find-file-hook` etc.). Instead of `t` or `nil`, this variable may also be a list of hook functions to do a minimal initialization.

reftex-no-include-regexps

User Option

List of regular expressions to exclude certain input files from parsing. If the name of a file included via `\include` or `\input` is matched by any of the regular expressions in this list, that file is not parsed by **RefTeX**.

reftex-enable-partial-scans

User Option

Non-`nil` means, re-parse only 1 file when asked to re-parse. Re-parsing is normally requested with a `C-u` prefix to many **RefTeX** commands, or with the `r` key in menus. When this option is `t` in a multifile document, we will only parse the current buffer, or the file associated with the label or section heading near point in a menu. Requesting re-parsing of an entire multifile document then requires a `C-u C-u` prefix or the capital `R` key in menus.

reftex-save-parse-info

User Option

Non-`nil` means, save information gathered with parsing in files. The file `'MASTER.rel'` in the same directory as `'MASTER.tex'` is used to save the information. When this variable is `t`,

- accessing the parsing information for the first time in an editing session will read that file (if available) instead of parsing the document.

- exiting Emacs or killing a buffer in `reftex-mode` will cause a new version of the file to be written.

reftex-parse-file-extension User Option

File extension for the file in which parser information is stored. This extension is added to the base name of the master file.

reftex-allow-automatic-rescan User Option

Non-`nil` means, **Re \TeX** may rescan the document when this seems necessary. Applies (currently) only in rare cases, when a new label cannot be placed with certainty into the internal label list.

reftex-use-multiple-selection-buffers User Option

Non-`nil` means use a separate selection buffer for each label type. These buffers are kept from one selection to the next and need not to be created for each use - so the menu generally comes up faster. The selection buffers will be erased (and therefore updated) automatically when new labels in its category are added. See the variable `reftex-auto-update-selection-buffers`.

reftex-auto-update-selection-buffers User Option

Non-`nil` means, selection buffers will be updated automatically. When a new label is defined with `reftex-label`, all selection buffers associated with that label category are emptied, in order to force an update upon next use. When `nil`, the buffers are left alone and have to be updated by hand, with the `g` key from the label selection process. The value of this variable will only have any effect when `reftex-use-multiple-selection-buffers` is non-`nil`.

9.10 Fontification

reftex-use-fonts User Option

Non-`nil` means, use fonts in label menu and on-the-fly help. `font-lock` must be loaded as well to actually get fontified display. After changing this option, a rescan may be necessary to activate it.

reftex-refontify-context User Option

Non-`nil` means, re-fontify the context in the label menu with `font-lock`. This slightly slows down the creation of the label menu. It is only necessary when you definitely want the context fontified.

This option may have 3 different values:

- `nil` Never refontify.
- `t` Always refontify.
- `1` Refontify when necessary, e.g. with old versions of the `x-symbol` package.

The option is ignored when `reftex-use-fonts` is `nil`.

reftex-highlight-selection User Option

Non-`nil` means, highlight selected text in selection and `*toc*` buffers. Normally, the text near the cursor is the *selected* text, and it is highlighted. This is the entry most keys in the selection and `*toc*` buffers act on. However, if you mainly use the mouse to select an item, you may find it nice to have mouse-triggered highlighting *instead* or *as well*. The variable may have one of these values:

| | |
|---------------------|---|
| <code>nil</code> | No highlighting. |
| <code>cursor</code> | Highlighting is cursor driven. |
| <code>mouse</code> | Highlighting is mouse driven. |
| <code>both</code> | Both cursor and mouse trigger highlighting. |

Changing this variable requires to rebuild the selection and `*toc*` buffers to become effective (keys `g` or `r`).

reftex-cursor-selected-face User Option

Face name to highlight cursor selected item in toc and selection buffers. See also the variable `reftex-highlight-selection`.

reftex-mouse-selected-face User Option

Face name to highlight mouse selected item in toc and selection buffers. See also the variable `reftex-highlight-selection`.

reftex-file-boundary-face User Option

Face name for file boundaries in selection buffer.

reftex-label-face User Option

Face name for labels in selection buffer.

reftex-section-heading-face User Option

Face name for section headings in toc and selection buffers.

reftex-toc-header-face User Option

Face name for the header of a toc buffer.

reftex-bib-author-face User Option

Face name for author names in bib selection buffer.

reftex-bib-year-face User Option

Face name for year in bib selection buffer.

reftex-bib-title-face User Option

Face name for article title in bib selection buffer.

reftex-bib-extra-face User Option

Face name for bibliographic information in bib selection buffer.

| | |
|---|-------------|
| reftex-select-mark-face | User Option |
| Face name for marked entries in the selection buffers. | |
| reftex-index-header-face | User Option |
| Face name for the header of an index buffer. | |
| reftex-index-section-face | User Option |
| Face name for the start of a new letter section in the index. | |
| reftex-index-tag-face | User Option |
| Face name for index names (for multiple indices). | |
| reftex-index-face | User Option |
| Face name for index entries. | |

9.11 Miscellaneous

| | |
|--|-------------|
| reftex-extra-bindings | User Option |
| Non- <code>nil</code> means, make additional key bindings on startup. These extra bindings are located in the users ‘ <code>C-c letter</code> ’ map. See Section 7.2 [Key Bindings], page 30. | |
| reftex-plug-into-AUCTeX | User Option |
| Plug-in flags for AUCTeX interface. This variable is a list of 5 boolean flags. When a flag is non- <code>nil</code> , RefTeX will | |
| <ul style="list-style-type: none"> - supply labels in new sections and environments (flag 1) - supply arguments for macros like <code>\label</code> (flag 2) - supply arguments for macros like <code>\ref</code> (flag 3) - supply arguments for macros like <code>\cite</code> (flag 4) - supply arguments for macros like <code>\index</code> (flag 5) | |
| You may also set the variable itself to <code>t</code> or <code>nil</code> in order to turn all options on or off, respectively. | |
| Supplying labels in new sections and environments applies when creating sections with <code>C-c C-s</code> and environments with <code>C-c C-e</code> . | |
| Supplying macro arguments applies when you insert such a macro interactively with <code>C-c <u>RET</u></code> . | |
| See the AUCTeX documentation for more information. | |

| | |
|---|-------------|
| reftex-revisit-to-follow | User Option |
| Non- <code>nil</code> means, follow-mode will revisit files if necessary. When <code>nil</code> , follow-mode will be suspended for stuff in unvisited files. | |

| | |
|--|-------------|
| reftex-allow-detached-macro-args | User Option |
| Non- <code>nil</code> means, allow arguments of macros to be detached by whitespace. When this is <code>t</code> , the ‘ <code>aaa</code> ’ in ‘ <code>\bbb [xxx] {aaa}</code> ’ will be considered an argument of <code>\bb</code> . Note that this will be the case even if <code>\bb</code> is defined with zero or one argument. | |

9.12 Keymaps and Hooks

RefTeX has the usual general keymap and load- and mode-hook.

reftex-mode-map

Keymap

The keymap for **RefTeX** mode.

reftex-load-hook

Normal Hook

Normal hook which is being run when loading ‘`reftex.el`’.

reftex-mode-hook

Normal Hook

Normal hook which is being run when turning on **RefTeX** mode.

Furthermore, the 4 modes used for referencing labels, creating citations, the table of contents buffer and the phrases buffer have their own keymaps and mode hooks. See the respective sections. There are many more hooks which are described in the relevant sections about options for a specific part of **RefTeX**.

10 Changes

Here is a list of recent changes to **RefTeX**.

Version 4.00

- RefTeX has been split into several smaller files which are autoloaded on demand.
- Index support, along with many new options.
- The selection of keys for `\ref` and `\cite` now allows to select multiple items by marking entries with the *m* key.
- Fancyref support.

Version 4.01

- New command `reftex-index-globally` to index a word in many places in the document. Also available from the index buffer with `&`.
- The first item in a `reftex-label-alist` entry may now also be a parser function to do non-standard parsing.
- `reftex-auto-view-crossref` no longer interferes with `pop-up-frames` (patch from Stefan Monnier).

Version 4.02

- macros ending in ‘`refrange`’ are considered to contain references.
- Index entries made with `reftex-index-selection-or-word` in TeX math mode automatically get enclosing ‘`$`’ to preserve math mode. See new option `reftex-index-math-format`. Requires AUCTeX.

Version 4.04

- New option `reftex-index-default-tag` implements a default for queries.

Version 4.06

- `reftex-section-levels` can contain a function to compute the level of a sectioning command.
- Multiple `thebibliography` environments recognized.

Version 4.09

- New option `reftex-toc-max-level` to limit the depth of the toc. New key binding `t` in the ‘`*toc*`’ buffer to change this setting.
- RefTeX maintains an ‘`Index Phrases`’ file in which phrases can be collected. When the document is ready, RefTeX can search all these phrases and assist indexing all matches.
- The variables `reftex-index-macros` and `reftex-index-default-macro` have changed their syntax slightly. The *repeat* parameter has move from the latter to the former. Also calls to `reftex-add-index-macros` from AUCTeX style files need to be adapted.
- The variable `reftex-section-levels` no longer contains the default stuff which has been moved to a constant.
- Environments like theorems can be placed into the TOC by putting entries for ‘`"begin{theorem}"`’ in `reftex-setion-levels`.

Version 4.10

- Renamed ‘`reftex-vcr.el`’ to ‘`reftex-dcr.el`’ because of conflict with ‘`reftex-vars.el`’ on DOS machines.
- New options `reftex-parse-file-extension` and `reftex-index-phrase-file-extension`.

Version 4.11

- Fixed bug which would parse ‘`\Section`’ just like ‘`\section`’.

Version 4.12

- Support for ‘`bibentry`’ citation style.

Version 4.15

- Small bug fixes.
- Improved interaction with Emacs LaTeX mode.

Index

*

'*toc*' buffer 4

?

? 4, 8, 18, 25

\

\bibitem 29

\bibliography 18

\cite 18, 29

\endnote, LaTeX macro 10

\eqref, AMS-LaTeX macro 14

\externaldocument 16

\footnote, LaTeX macro 10

\fref 9, 17

\Fref 9, 17

\index 21, 29

\label 7, 29

\newtheorem 11

\ref 8, 29

\vref 9, 17

A

Acknowledgments 40

align, AMS-LaTeX environment 10

alignat, AMS-LaTeX environment 10

AMS-LaTeX 10, 14

amsmath, LaTeX package 10

AUCTeX, Emacs package 35

Automatic document scans 33

axiom, newtheorem 11

B

Beqnarray, LaTeX environment 10

bib-cite, Emacs package 37

bib-cite-use-reftex-view-crossref 37

BIBINPUTS, environment variable 1, 18

Bibliographies, multiple 20

BibTeX buffer, viewing cite locations from 29

BibTeX database files, not found 1

bibunits, LaTeX package 20

Bug reports 40

Builtin index macros 27

Builtin label environments 10

C

C-c & 16, 20, 29, 30

C-c (. 7, 30

C-c) 8, 30

C-c / 21, 30

C-c = 4, 30

C-c [. 18, 30

C-c | 22, 30

C-c > 25, 30

C-c \ 30

C-c < 21, 30

C-c c 30

C-c C-e 35

C-c C-i 23

C-c C-s 23, 35

C-c C-t 23

C-c g 30

C-c l 30

C-c r 30

C-c RET 35

C-c s 30

C-c t 30

C-c v 30

Changes 64

chapterbib, LaTeX package 20

chicago, citation style 19

Citation info 20

Citation styles 19

Citation styles, **chicago** 19

Citation styles, **harvard** 19

Citation styles, **natbib** 19

Citations 18

Citations outside LaTeX 20

Citations, creating 18

Citations, displaying 20

Collecting index phrases 22

Commands, list of 41

Consistency check for index phrases 23

Creating citations 18

Creating citations, options 51

Creating index entries 21

Creating labels 7

Creating labels, options 48

Cross-document references 16

Cross-references, displaying 16

D

Defining Index Macros 27

Defining label environments, options 45

Displaying citations 20

Displaying cross-references 16

| | |
|------------------------------------|----|
| Displaying the Index | 25 |
| Document scanning, automatic | 33 |
| Document scanning, partial | 33 |
| Documents, spread over files | 31 |

E

| | |
|--|----|
| Editing the Index | 25 |
| Emacs packages, AUCTeX | 35 |
| Emacs packages, bib-cite | 37 |
| Emacs packages, iso-cvt | 38 |
| Emacs packages, isotex | 38 |
| Emacs packages, x-symbol | 38 |
| endnote , LaTeX package | 10 |
| enumerate , LaTeX environment | 10 |
| Environments without <code>\begin</code> | 14 |
| Environments, builtin | 10 |
| eqnarray , LaTeX environment | 10 |
| equation , LaTeX environment | 10 |
| External documents | 16 |

F

| | |
|--|-------|
| Faces | 30 |
| fancybox , LaTeX package | 10 |
| fancyref , LaTeX package | 9, 17 |
| Figure wrapping macro | 13 |
| figure* , LaTeX environment | 10 |
| figure , LaTeX environment | 10 |
| figwindow , LaTeX environment | 10 |
| Finding files | 1, 32 |
| Finding files, options | 57 |
| flalign , AMS-LaTeX environment | 10 |
| floatfig , LaTeX package | 10 |
| floatingfig , LaTeX environment | 10 |
| Fontification, options | 60 |
| ftp , RefTeX site | 40 |

G

| | |
|---|----|
| gather , AMS-LaTeX environment | 10 |
| German magic words | 14 |
| Getting Started | 2 |
| Global indexing | 24 |

H

| | |
|---|----|
| harvard , citation style | 19 |
| http , RefTeX home page | 40 |

I

| | |
|--|--------|
| Idle timer restart | 39 |
| Imprint | 40 |
| Index entries, creating | 21, 25 |
| Index macros, builtin | 27 |
| Index macros, defining | 27 |
| Index phrase file | 22 |
| Index phrases, collection | 22 |
| Index phrases, consistency checks | 23 |
| Index Support | 21 |
| Index support, options | 53 |
| Index, displaying | 25 |
| Index, editing | 25 |
| index , LaTeX package | 27 |
| Indexing, from ‘ phrases ’ buffer | 24 |
| Indexing, global | 24 |
| Installation | 1 |
| Introduction | 1 |
| iso-cvt , Emacs package | 38 |
| isotex , Emacs package | 38 |

K

| | |
|--|----|
| Key bindings, problems with Viper mode | 39 |
| Key Bindings, summary | 30 |
| Keymaps | 63 |
| KOMA-Script, LaTeX classes | 5 |

L

| | |
|--|-------|
| Label category | 7, 14 |
| Label environment | 7 |
| Label environments, builtin | 10 |
| Label environments, defining | 11 |
| Labels in LaTeX | 7 |
| Labels, commented out | 38 |
| Labels, creating | 7 |
| Labels, deriving from context | 7 |
| Labels, referencing | 8 |
| Language support | 31 |
| LaTeX classes, KOMA-Script | 5 |
| LaTeX commands, abbreviated | 15 |
| LaTeX commands, not found | 38 |
| LaTeX core | 10 |
| LaTeX macro footnote | 10 |
| LaTeX packages, amsmath | 10 |
| LaTeX packages, endnote | 10 |
| LaTeX packages, fancybox | 10 |
| LaTeX packages, fancyref | 9, 17 |
| LaTeX packages, floatfig | 10 |
| LaTeX packages, index | 27 |
| LaTeX packages, linguex | 15 |
| LaTeX packages, longtable | 10 |
| LaTeX packages, multind | 27 |
| LaTeX packages, pf | 38 |

LaTeX packages, `picinpar` 10
 LaTeX packages, `rotating` 10
 LaTeX packages, `saferef` 9
 LaTeX packages, `sidecap` 10
 LaTeX packages, `subfigure` 10
 LaTeX packages, `supertab` 10
 LaTeX packages, `varioref` 9, 17
 LaTeX packages, `wrapfig` 10
 LaTeX packages, `xr` 16
 LaTeX-add-environments, AUCTeX 36
 LaTeX-label-function, AUCTeX 35
`latex-mode-hook` 1
 LaTeX-mode-hook 1
 LaTeX-section, AUCTeX 35
`linguex`, LaTeX package 15
`longtable`, LaTeX environment 10
`longtable`, LaTeX package 10

M

Macro definition lines, in phrase buffer 22
 Macros as environment wrappers 12, 13
 Magic words 14
 Maintainer 40
 Menu, in the menu bar 30
 Multifile documents 31
`multind`, LaTeX package 27
 Multiple selection buffers 33
`multline`, AMS-LaTeX environment 10

N

`natbib`, citation style 19
 Non-standard environments 14
 Nutshell, RefTeX in a 2

O

Optimizations 32
 Optimizations, options 59
 Options, creating citations 51
 Options, creating labels 48
 Options, defining label environments 45
 Options, Finding Files 57
 Options, fontification 60
 Options, Index support 53
 Options, list of 44
 Options, misc 62
 Options, optimizations 59
 Options, referencing labels 49
 Options, table of contents 44
 Options, viewing cross-references 56

P

Parse information, saving to a file 33
 Parser functions, for special environments 14
 Partial documents scans 33
`pf`, LaTeX package 38
 Phrase file 22
 Phrases, collecting 22
 Phrases, consistency checks 23
`picinpar`, LaTeX package 10
 Problems and work-arounds 38

Q

Quick equation macro 12
 Quick-Start 2

R

Reference info 16
 References in LaTeX 7
 References to external documents 16
 Referencing labels 8
 Referencing labels, options 49
 RefTeX in a Nutshell 2
`reftex-abbrev-parameters` 7, 31, 49
`reftex-add-index-macros` 36
`reftex-add-label-environments` 36, 38
`reftex-add-section-levels` 37, 38
`reftex-add-to-label-alist` 36
`reftex-allow-automatic-rescan` 33, 60
`reftex-allow-detached-macro-args` 62
`reftex-arg-cite` 35
`reftex-arg-index` 35
`reftex-arg-label` 35
`reftex-arg-ref` 35
`reftex-auto-update-selection-buffers` .. 33, 60
`reftex-auto-view-crossref` 57
`reftex-bib-author-face` 61
`reftex-bib-extra-face` 61
`reftex-bib-title-face` 61
`reftex-bib-year-face` 61
`reftex-bibfile-ignore-regexps` 51
`reftex-bibpath-environment-variables` 57
`reftex-cache-cite-echo` 57
`reftex-change-label` 43
`reftex-citation` 18, 41
`reftex-cite-comment-format` 53
`reftex-cite-format` 19, 52
`reftex-cite-punctuation` 31, 53
`reftex-cite-view-format` 57
`reftex-comment-citations` 52
`reftex-create-tags-file` 42
`reftex-cursor-selected-face` 61
`reftex-customize` 43
`reftex-default-bibliography` 20, 51

- reftex-default-context-regexps 47
- reftex-default-label-alist-entries 45
- reftex-derive-label-parameters 7, 31, 49
- reftex-display-copied-context-hook 51
- reftex-display-index 25, 42
- reftex-enable-partial-scans.. 5, 10, 27, 33, 38, 59
- reftex-external-file-finders 58
- reftex-extra-bindings 30, 62
- reftex-file-boundary-face 61
- reftex-file-extensions 58
- reftex-find-duplicate-labels 43
- reftex-format-cite-function 52
- reftex-format-label-function 48
- reftex-format-ref-function 50
- reftex-fref-is-default 17, 50
- reftex-grep-document 42
- reftex-guess-label-type 51
- reftex-highlight-selection 4, 9, 19, 61
- reftex-idle-time 57
- reftex-index 21, 41
- reftex-index-default-macro 54
- reftex-index-default-tag 54
- reftex-index-face 62
- reftex-index-follow-mode 26, 56
- reftex-index-header-face 62
- reftex-index-include-context 26, 56
- reftex-index-macros 27, 53
- reftex-index-map 56
- reftex-index-math-format 54
- reftex-index-phrase-file-extension 54
- reftex-index-phrase-selection-or-word 42
- reftex-index-phrases-apply-to-region 42
- reftex-index-phrases-case-fold-search 55
- reftex-index-phrases-logical-and-regexp .. 55
- reftex-index-phrases-logical-or-regexp .. 55
- reftex-index-phrases-map 56
- reftex-index-phrases-mode-hook 56
- reftex-index-phrases-search-whole-words .. 55
- reftex-index-phrases-skip-indexed-matches 55
- reftex-index-phrases-sort-in-blocks 56
- reftex-index-phrases-sort-prefers-entry .. 55
- reftex-index-phrases-wrap-long-lines 55
- reftex-index-section-face 62
- reftex-index-section-letters 56
- reftex-index-selection-or-word 21, 41
- reftex-index-selection-chars 53
- reftex-index-tag-face 62
- reftex-index-visit-phrases-buffer 22, 42
- reftex-info 43
- reftex-initialize-temporary-buffers ... 38, 59
- reftex-insert-label-flags 7, 12, 48
- reftex-keep-temporary-buffers 32, 38, 59
- reftex-label 7, 35, 41
- reftex-label-alist 10, 11, 29, 45
- reftex-label-alist-builtin 10, 11
- reftex-label-face 61
- reftex-label-illegal-re 7, 31, 49
- reftex-label-menu-flags 9, 12, 49
- reftex-level-indent 51
- reftex-load-hook 30, 63
- reftex-max-section-depth 47
- reftex-mode 1
- reftex-mode-hook 63
- reftex-mode-map 63
- reftex-mouse-selected-face 61
- reftex-mouse-view-crossref 16, 20, 29
- reftex-multiref-punctuation 9, 31, 50
- reftex-no-include-regexps 59
- reftex-parse-document 43
- reftex-parse-file-extension 33, 60
- reftex-plug-into-AUCTeX 62
- reftex-pre-refontification-functions 51
- reftex-query-replace-document 43
- reftex-reference 8, 41
- reftex-refontify-context 38, 60
- reftex-renumber-simple-labels 43
- reftex-reset-mode 43
- reftex-revisit-to-echo 57
- reftex-revisit-to-follow 4, 8, 26, 62
- reftex-save-parse-info 33, 59
- reftex-search-document 42
- reftex-search-unrecursed-path-first 58
- reftex-section-heading-face 61
- reftex-section-levels 5, 47
- reftex-section-prefixes 47
- reftex-select-bib-map 19, 53
- reftex-select-bib-mode-hook 53
- reftex-select-label-map 10, 51
- reftex-select-label-mode-hook 51
- reftex-select-mark-face 62
- reftex-set-cite-format 36, 38
- reftex-show-commentary 43
- reftex-sort-bibtex-matches 51
- reftex-string-to-label-function 48
- reftex-support-index 53
- reftex-texpath-environment-variables 57
- reftex-toc 4, 41
- reftex-toc-follow-mode 4, 44
- reftex-toc-header-face 61
- reftex-toc-include-context 5, 44
- reftex-toc-include-file-boundaries 5, 44
- reftex-toc-include-index-entries 5, 44
- reftex-toc-include-labels 5, 44
- reftex-toc-keep-other-windows 44
- reftex-toc-map 5, 44
- reftex-toc-max-level 5, 44
- reftex-toc-mode-hook 44
- reftex-translate-to-ascii-function.. 7, 31, 48
- reftex-use-external-file-finders 58
- reftex-use-fonts 60

`reftex-use-itimer-in-xemacs` 39
`reftex-use-multiple-selection-buffers`... 33,
 60
`reftex-view-crossref` 16, 20, 29, 42
`reftex-view-crossref-extra`..... 29, 56
`reftex-view-crossref-from-bibtex`..... 42
`reftex-vref-is-default` 17, 50
 RefTeXs Menu 30
 Removing lookup buffers 32
`rotating`, LaTeX package 10

S

`S-mouse-2`..... 16, 20, 29, 30
`saferef`, LaTeX package 9
 Saving parser information 33
`SCfigure`, LaTeX environment 10
`SCtable`, LaTeX environment 10
 Section numbers, wrong 38
 Sectioning commands 5
 Selection buffer, citations 18
 Selection buffer, labels 8
 Selection buffers, multiple 33
 Selection buffers, updating 33
 Selection process 8, 18
 Settings, local 38
`sidecap`, LaTeX package 10
`sidewaysfigure`, LaTeX environment 10
`sidewaystable`, LaTeX environment 10
 Special parser functions 14
 Style files, AUCTeX 36
`subequations`, AMS-LaTeX environment 10
`subfig`, LaTeX package 10
`subfigure*`, LaTeX environment 10
`subfigure`, LaTeX environment 10
`supertab`, LaTeX package 10
`supertabular`, LaTeX environment 10

T

Table of contents buffer 4
 Table of contents, options 44

`table*`, LaTeX environment 10
`table`, LaTeX environment 10
`tabwindow`, LaTeX environment 10
 TeX files, not found 1
`TeX-add-style-hook`, AUCTeX 36
`TeX-arg-cite`, AUCTeX function 35
`TeX-arg-index`, AUCTeX function 35
`TeX-arg-label`, AUCTeX function 35
`TeX-arg-ref`, AUCTeX function 35
`TeX-insert-macro`, AUCTeX 35
`TeX-insert-macro`, AUCTeX function 35
`tex-main-file` 31
`TeX-master` 31
`TEXBIB`, environment variable 18
`TEXINPUTS`, environment variable 1
 Thanks 40
`thebibliography`, LaTeX environment 18
`theorem`, `newtheorem` 11
 TOC entries for environments 5
`turn-on-reftex` 1

V

`varioref`, LaTeX package 9, 17
 Viewing citations 20
 Viewing cite locations from BibTeX buffer 29
 Viewing cross-references 16
 Viewing cross-references, options 56
 Viper mode 39
`viper-harness-minor-mode` 39

W

`wrapfig`, LaTeX package 10
`wrapfigure`, LaTeX environment 10

X

`x-symbol`, Emacs package 38
`xalignat`, AMS-LaTeX environment 10
`xr`, LaTeX package 16
`xxalignat`, AMS-LaTeX environment 10

Short Contents

| | | |
|----|------------------------------------|----|
| 1 | Introduction | 1 |
| 2 | Table of Contents | 4 |
| 3 | Labels and References | 7 |
| 4 | Citations | 18 |
| 5 | Index Support | 21 |
| 6 | Viewing Cross-References | 29 |
| 7 | All the Rest | 30 |
| 8 | Commands | 41 |
| 9 | Options, Keymaps, Hooks | 44 |
| 10 | Changes | 64 |
| | Index | 66 |

Table of Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 1 |
| 1.1 | Installation | 1 |
| 1.2 | Environment | 1 |
| 1.3 | Entering RefTeX Mode | 1 |
| 1.4 | RefTeX in a Nutshell | 2 |
| 2 | Table of Contents | 4 |
| 3 | Labels and References | 7 |
| 3.1 | Creating Labels | 7 |
| 3.2 | Referencing Labels | 8 |
| 3.3 | Builtin Label Environments | 10 |
| 3.4 | Defining Label Environments | 11 |
| 3.4.1 | Theorem and Axiom Environments | 11 |
| 3.4.2 | Quick Equation Macro | 12 |
| 3.4.3 | Figure Wrapping Macro | 13 |
| 3.4.4 | Adding Magic Words | 14 |
| 3.4.5 | Using <code>\eqref</code> | 14 |
| 3.4.6 | Non-standard Environments | 14 |
| 3.4.7 | Putting it all together | 16 |
| 3.5 | Reference Info | 16 |
| 3.6 | <code>xr</code> : Cross-Document References | 16 |
| 3.7 | <code>varioref</code> : Variable Page References | 17 |
| 3.8 | <code>fancyref</code> : Fancy Cross References | 17 |
| 4 | Citations | 18 |
| 4.1 | Creating Citations | 18 |
| 4.2 | Citation Styles | 19 |
| 4.3 | Citation Info | 20 |
| 4.4 | Chapterbib and Bibunits | 20 |
| 4.5 | Citations outside LaTeX | 20 |
| 5 | Index Support | 21 |
| 5.1 | Creating Index Entries | 21 |
| 5.2 | The Index Phrases File | 22 |
| 5.2.1 | Collecting Phrases | 22 |
| 5.2.2 | Consistency Checks | 23 |
| 5.2.3 | Global Indexing | 24 |
| 5.3 | Displaying and Editing the Index | 25 |
| 5.4 | Builtin Index Macros | 27 |
| 5.5 | Defining Index Macros | 27 |

| | | |
|-----------|---------------------------------------|-----------|
| 6 | Viewing Cross-References | 29 |
| 7 | All the Rest | 30 |
| 7.1 | RefTeX's Menu | 30 |
| 7.2 | Default Key Bindings | 30 |
| 7.3 | Faces | 30 |
| 7.4 | Multifile Documents | 31 |
| 7.5 | Language Support | 31 |
| 7.6 | Finding Files | 32 |
| 7.7 | Optimizations | 32 |
| 7.8 | AUC TeX | 35 |
| 7.8.1 | The AUC TeX-RefTeX Interface | 35 |
| 7.8.2 | Style Files | 36 |
| 7.8.3 | Bib-Cite | 37 |
| 7.9 | Problems and Work-arounds | 38 |
| 7.10 | Imprint | 40 |
| 8 | Commands | 41 |
| 9 | Options, Keymaps, Hooks | 44 |
| 9.1 | Table of Contents | 44 |
| 9.2 | Defining Label Environments | 45 |
| 9.3 | Creating Labels | 48 |
| 9.4 | Referencing Labels | 49 |
| 9.5 | Creating Citations | 51 |
| 9.6 | Index Support | 53 |
| 9.7 | Viewing Cross-References | 56 |
| 9.8 | Finding Files | 57 |
| 9.9 | Optimizations | 59 |
| 9.10 | Fontification | 60 |
| 9.11 | Miscellaneous | 62 |
| 9.12 | Keymaps and Hooks | 63 |
| 10 | Changes | 64 |
| | Index | 66 |